

International Product Catalog and Ordering Information 2011



CUSTOMER ORDERING INFORMATION

Universal Product Number Key

Vascular Access UPN

M001452130

Order number Package Indication
0 = single unit
1 = multi pack

Fluid Management UPN

H965907110621

Order number Package Indication
0 = single unit
1 = multi pack

Table of Contents

TERMS AND CONDITIONS1

CE MARKED PRODUCTS

VASCULAR ACCESS2-7

Implantable Ports.....2

- Vaxcel™ Implantable Chest Ports with PASV™ Valve Technology
- Implantable Chest Ports with PASV Valve Technology – Single Lumen
- Implantable Chest Ports with PASV Valve Technology – Dual Lumen

Xcela™ PICCs with PASV Valve Technology3

- Catheter Kits
- MST Kits with 70 cm Wire
- IR Kits with 145 cm Wire

Vaxcel PICCs with PASV Valve Technology4

- Catheter Kits
- Peelable Introducer Kits
- MST Kits with 30 cm Wire
- MST Kits with 60 cm Wire
- IR Kits with 145 cm Wire

Xcela Power Injectable PICCs.....5

- Catheter Kits
- MST Kits with 60 cm Wire
- IR Kits with 145 cm Wire

Dialysis Catheters6

- Vaxcel Plus Chronic Dialysis Catheters and Kits

Vascular Access Accessories7

- Vaxcel Mini Stick Vascular Entry Systems
- Insertion Kits

NAMIC™ FLUID MANAGEMENT8-25

Closed Fluid Systems for Angiography8

Contrast Injection Lines9

Contrast Management Systems10

Angiographic Core Wires10

Fluid Delivery Systems.....11

COMPENSATOR™ Pressure Monitoring Manifolds.....11

PERCEPTOR™ Pressure Monitoring Manifolds12

NAMIC Angiographic Manifolds.....13

Traditional Manifolds for Pressure Monitoring14

Pressure Monitoring Lines14

Pressure Monitoring Accessories for COMPENSATOR Manifolds15

Pressure Monitoring Accessories for PERCEPTOR Disposable Transducers.....15

Pressure Monitoring Accessories for Monitoring Manifolds.....15

Pressure Monitoring Standard Pole Mount Kits15

Disposable Transducers PERCEPTOR DT15

Arterial Sets.....16

This Product Catalog is intended for ordering information only. Please refer to the *Instructions for Use* for product indications and *Product Specification Sheet* for specifications.

Not all products are available in all countries. Please contact your local representative for product availability in your area.

CE MARKED PRODUCTS *(continued)*

Reusable Pressure Monitoring Cables (Device-to-Monitor).....	16
Arterial Extension Set with Stopcock.....	22
Extension Sets with NAMIC™ Stopcock.....	22
Stopcocks	22
Angiographic Control Syringes.....	23
Radiology Control Syringes.....	23
Torque Devices.....	24
Guidewire Insertion Tools.....	24
Y-Adaptors	24
Y-Adaptor Kits	24
Essentials™ Kit	24
Tri-Adaptors.....	24
Tri-Adaptor Kits.....	25
Adaptors/Connectors	25
Standard Cardiovascular Manifold Kits.....	25
Standard Right Heart Kits	25

NON-CE MARKED PRODUCTS

VASCULAR ACCESS.....26-28

Implantable Ports.....26

- Vaxcel™ Chest Port
- Vaxcel Micro Ports

Xcela™ PICCs with PASV™ Valve Technology27

- Catheter Kits
- MST Kits with 70 cm Wire
- IR Kits with 145 cm Wire

Vaxcel PICCs.....28

- MST Kits with 60 cm Wire
- IR Kits with 130 cm Wire

Dialysis Catheter Accessories28

PERCUTANEOUS DRAINAGE.....29

Exodus™ Drainage Catheters.....29

- Multipurpose Drainage Catheters
- Nephrostomy Drainage Catheters

NAMIC FLUID MANAGEMENT29

Closed Fluid Systems for Angiography.....29

Angiographic Core Wires.....29

Temporary Needle Holder.....29

Waste Container.....29

PRODUCT CODE INDEX.....30-37

Not all products are available in all countries. Please contact your local representative for product availability in your area.

TERMS AND CONDITIONS - Effective 1 January 2011

Place your order directly with Navilyst Medical Customer Service by mail, telephone, or fax.

Navilyst Medical, Inc., 10 Glens Falls Technical Park, Glens Falls, NY 12801

To Place An Order: Phone: 518.792.4112 • Fax: 518.742.4459

Billing Inquiries: Phone: 518.792.4112

HOURS:

Customer Service is available from 8:00 am EST to 7:00 pm EST weekdays excluding national holidays.

TERMS:

Payment, shipment and pricing terms are as set forth in your International Distributorship Agreement.

STANDING ORDERS:

Navilyst Medical accepts standing orders on all products. This convenience provides you with scheduled shipments using a single purchase order. Contact the Customer Service Contracts Department at 518.792.4112.

TO RETURN GOODS:

The circumstances in which you may return products, and the terms applicable to any such returns, are set forth in your International Distributorship Agreement.

TO RETURN GOODS (as permitted by the terms of your International Distributorship Agreement):

- Contact Customer Service for a return authorization number at 518.792.4112.
- For product complaints, please email the complaint notification form to navilystcomplaintmailbox@navilyst.com.
- Identify the customer account number, catalog number, size, quantity, lot number, invoice number and the reason for the return.
- Clearly identify the RGA number on your shipping paperwork.
- Ship product returns to:

Navilyst Medical, Inc., 10 Glens Falls Technical Park, Glens Falls, NY 12801

SPECIFICATION CHANGES; NOTICE:

As we are continually improving our products, the equipment supplied may not agree in all details with the description and specification shown in the catalog and/or price list. All prices and specifications are subject to change in accordance with the terms of your International Distributorship Agreement. Federal Law (USA) restricts these devices to sale by or on the order of a physician. Indications, contraindications, and instructions for use, as well as product warranty information, can be found in the product labeling supplied with each device. Navilyst Medical makes no warranties, express or implied, including but not limited to, any implied warranty of merchantability of fitness for a particular purpose, except as specifically set forth in the product labeling supplied with each device or in your International Distributorship Agreement.

WARNING REGARDING SINGLE USE DEVICES:

Products marked as 'single-use' are for single-use only. Do not reuse, reprocess or resterilize single-use products. Reuse, reprocessing or resterilization may compromise the structural integrity of the device and/or lead to device failure which in turn may result in patient injury, illness or death. Reuse, reprocessing or resterilization may also create a risk of contamination of the device and/or cause patient infection or cross-infection, including, but not limited to, the transmission of infectious disease(s) from one patient to another. Contamination of the device may lead to injury, illness, or death of the patient. **Navilyst Medical assumes no liability with respect to instruments reused, reprocessed or resterilized and makes no warranties, express or implied, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose, with respect to any such instrument.**

Note: Indications, contraindications, warnings and instructions for use can be found in the instructions for use supplied with each device. Products shown are subject to modification without prior notice.

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

IMPLANTABLE PORTS

■ VAXCEL™ IMPLANTABLE CHEST PORTS WITH PASV™ VALVE TECHNOLOGY

UPN	Order Number	Description	Units
M001452130	45-213	Vaxcel w/PASV Mini/T/PU/6/1.1/1.9/63	Each
M001452150	45-215	Vaxcel w/PASV Mini/T/PU/8/1.6/2.6/63	Each
M001452200	45-220	Vaxcel w/PASV Mini/T/S/8/1.4/2.6/63	Each
M001453620	45-362	Vaxcel w/PASV Standard/T/PU/8/1.6/2.6/63	Each
M001453640	45-364	Vaxcel w/PASV Standard/T/S/8/1.4/2.6/63	Each
M001453660	45-366	Vaxcel w/PASV Standard/PS/PU/8/1.6/2.6/63	Each
M001453680	45-368	Vaxcel w/PASV Standard/PS/S/8/1.4/2.6/63	Each

Key: Port Type/Port Material/Catheter Material/Catheter Size (F)/Catheter I.D. (mm)/Catheter O.D. (mm)/Catheter Length (cm)

PS = Polysulfone PU = Polyurethane T = Titanium S = Silicone

Each Kit Contains: Vaxcel Implantable Port with PASV Valve and Detached Thin Walled Catheter, 63 cm Length; Two Twist-On Locking Collar Connectors; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 50 cm Length; Peelable Introducer/Dilator Set; Metal Tunneler; 1.3 cm (0.5") Blunt Cannula; 12 mL Slip Lock Syringe; 12 mL Luer Lock Syringe; 22 Gauge, 2.54 cm (1") Straight Non-Coring Needle; 22 Gauge, 2.54 cm (1") 90° Non-Coring Needle.

■ IMPLANTABLE CHEST PORTS WITH PASV VALVE TECHNOLOGY – SINGLE LUMEN

UPN	Order Number	Description	Units
M001PRTA66A0	PRTA66A	PASV PORT/6.6/SL/T/A	Each
M001PRTA66P0	PRTA66P	PASV PORT/6.6/SL/T/PA	Each
M001PRTA96A0	PRTA96A	PASV PORT/9.6/SL/T/A	Each
M001PRTA96P0	PRTA96P	PASV PORT/9.6/SL/T/PA	Each

Key: Port Type/Catheter (F)/Number of Lumens/Port Material/Securement Option

SL = Single Lumen T = Titanium A = Attachable Port PA = Pre-Attached Port

Each Kit Contains: One Implantable Port with PASV Valve and Silicone Catheter, 60 cm Length; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 65 cm Length; Peelable Introducer/Dilator Set; Tunneler; 16 Gauge Blunt Needle; 10 mL Slip Lock Syringe; 22 Gauge, 2.54 cm (1"), Non-Coring Needle; One Winged Infusion Set, 20 Gauge.

■ IMPLANTABLE CHEST PORTS WITH PASV VALVE TECHNOLOGY – DUAL LUMEN

UPN	Order Number	Description	Units
M001PRTB10A0	PRTB10A	PASV PORT/10/DL/T/A	Each
M001PRTB10P0	PRTB10P	PASV PORT/10/DL/T/PA	Each

Key: Port Type/Catheter (F)/Number of Lumens/Port Material/Securement Option

DL = Dual Lumen T = Titanium A = Attachable Port PA = Pre-Attached Port

Each Kit Contains: One Implantable Port with PASV Valve and Silicone Catheter, 60 cm Length; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 65 cm Length; Peelable Introducer/Dilator Set; Tunneler; 16 Gauge Blunt Needle; 10 mL Slip Lock Syringe; 22 Gauge, 2.54 cm (1"), Non-Coring Needle; Two Winged Infusion Sets.

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

XCELA™ PICCS WITH PASV™ VALVE TECHNOLOGY

■ CATHETER KITS

UPN	Order Number	Description	Units
H965557110	55-711	Single, 4 F, 17	Each
H965557310	55-731	Dual, 5 F, 17.5/17.5	Each

Key: Number of Lumens/Catheter OD (F)/Catheter ID (Gauge)

Each Kit Contains: Catheter; 92 cm Tape Measure; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; StatLock™ Catheter Stabilization Device; and End Cap(s).

■ MST KITS WITH 70 CM WIRE

UPN	Order Number	Description	Units
H965557120	55-712	Single, 4 F, 17	Each
H965557170	55-717	Single, 5 F, 15.5	Each
H965557320	55-732	Dual, 5 F, 17.5/17.5	Each
H965557370	55-737	Dual, 6 F, 16.5/16.5	Each

Key: Number of Lumens/Catheter OD (F)/Catheter ID (Gauge)

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 92 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 70 cm Hydrophilic-Coated Guidewire with Floppy Radiopaque Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

■ IR KITS WITH 145 CM WIRE

UPN	Order Number	Description	Units
H965557130	55-713	Single, 4 F, 17	Each
H965557180	55-718	Single, 5 F, 15.5	Each
H965557330	55-733	Dual, 5 F, 17.5/17.5	Each
H965557380	55-738	Dual, 6 F, 16.5/16.5	Each

Key: Number of Lumens/Catheter OD (F)/Catheter ID (Gauge)

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 92 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 145 cm Hydrophilic-Coated Guidewire with Floppy Radiopaque Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

VAXCEL™ PICCS WITH PASV™ VALVE TECHNOLOGY

■ CATHETER KITS

UPN	Order Number	Description	Units
H965454350	45-435	3 F, Single Lumen	Each
M001454550	45-455	4 F, Single Lumen	Each
M001454600	45-460	5 F, Single Lumen	Each
M001454700	45-470	5 F, Dual Lumen	Each
M001454750	45-475	6 F, Dual Lumen	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; StatLock™ Catheter Securement Device; and End Cap(s).

■ PEELABLE INTRODUCER KITS

UPN	Order Number	Description	Units
M001454560	45-456	4 F, Single Lumen	Each
M001454610	45-461	5 F, Single Lumen	Each
M001454710	45-471	5 F, Dual Lumen	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); Peelable Sheath Introducer Needle; StatLock Catheter Securement Device; End Cap(s); and CSR Wrap.

■ MST KITS WITH 30 CM WIRE

UPN	Order Number	Description	Units
M001454570	45-457	4 F, Single Lumen	Each
M001454620	45-462	5 F, Single Lumen	Each
M001454720	45-472	5 F, Dual Lumen	Each
M001454770	45-477	6 F, Dual Lumen	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 3.8 cm (1.5") Introducer Needle with Echogenic Tip; 30 cm Guidewire with Double Floppy Tip; Scalpel; 5 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; End Cap(s); and CSR Wrap.

■ MST KITS WITH 60 CM WIRE

UPN	Order Number	Description	Units
H965454360	45-436	3 F, Single Lumen	Each
M001454590	45-459	4 F, Single Lumen	Each
M001454640	45-464	5 F, Single Lumen	Each
M001454740	45-474	5 F, Dual Lumen	Each
M001454790	45-479	6 F, Dual Lumen	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 60 cm Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock™ Catheter Securement Device; and End Cap(s).

■ IR KITS WITH 145 CM WIRE

UPN	Order Number	Description	Units
M001454580	45-458	4 F, Single Lumen	Each
M001454630	45-463	5 F, Single Lumen	Each
M001454730	45-473	5 F, Dual Lumen	Each
M001454780	45-478	6 F, Dual Lumen	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 145 cm Hydrophilic-Coated Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

XCELA™ POWER INJECTABLE PICCS

■ CATHETER KITS

UPN	Order Number	Description	Units
M001456510	45-651	4 F, Single Lumen, 45 cm	Each
M001456750	45-675	4 F, Single Lumen, 55 cm	Each
M001456560	45-656	5 F, Single Lumen, 55 cm	Each
M001456610	45-661	5 F, Dual Lumen, 45 cm	Each
M001456700	45-670	5 F, Dual Lumen, 55 cm	Each
M001456660	45-666	6 F, Dual Lumen, 55 cm	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; StatLock™ Catheter Securement Device; and End Cap(s).

■ MST KITS WITH 60 CM WIRE

UPN	Order Number	Description	Units
M001456520	45-652	4 F, Single Lumen, 45 cm	Each
M001456760	45-676	4 F, Single Lumen, 55 cm	Each
M001456570	45-657	5 F, Single Lumen, 55 cm	Each
M001456620	45-662	5 F, Dual Lumen, 45 cm	Each
M001456710	45-671	5 F, Dual Lumen, 55 cm	Each
M001456670	45-667	6 F, Dual Lumen, 55 cm	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 60 cm Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock™ Catheter Securement Device; and End Cap(s).

■ IR KITS WITH 145 CM WIRE

UPN	Order Number	Description	Units
M001456530	45-653	4 F, Single Lumen, 45 cm	Each
M001456770	45-677	4 F, Single Lumen, 55 cm	Each
M001456580	45-658	5 F, Single Lumen, 55 cm	Each
M001456630	45-663	5 F, Dual Lumen, 45 cm	Each
M001456720	45-672	5 F, Dual Lumen, 55 cm	Each
M001456680	45-668	6 F, Dual Lumen, 55 cm	Each

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 60 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 145 cm Hydrophilic-Coated Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

DIALYSIS CATHETERS

■ VAXCEL™ PLUS CHRONIC DIALYSIS CATHETERS AND KITS

UPN	Order Number	Description	Units
M001455410	45-541	Catheter/CPU/14.5/19/Plastic	Each
M001455450	45-545	Catheter/CPU/14.5/23/Plastic	Each
M001455490	45-549	Catheter/CPU/14.5/28/Plastic	Each
M001455530	45-553	Catheter/CPU/14.5/37/Plastic	Each
M001455570	45-557	Catheter/CPU/14.5/50/Plastic	Each
M001455400	45-540	Catheter/CPU/14.5/19/Metal	Each
M001455440	45-544	Catheter/CPU/14.5/23/Metal	Each
M001455480	45-548	Catheter/CPU/14.5/28/Metal	Each
M001455520	45-552	Catheter/CPU/14.5/37/Metal	Each
M001455560	45-556	Catheter/CPU/14.5/50/Metal	Each
M001455430	45-543	Kit/CPU/14.5/19/Plastic	Each
M001455470	45-547	Kit/CPU/14.5/23/Plastic	Each
M001455510	45-551	Kit/CPU/14.5/28/Plastic	Each
M001455550	45-555	Kit/CPU/14.5/37/Plastic	Each
M001455590	45-559	Kit/CPU/14.5/50/Plastic	Each
M001455420	45-542	Kit/CPU/14.5/19/Metal	Each
M001455460	45-546	Kit/CPU/14.5/23/Metal	Each
M001455500	45-550	Kit/CPU/14.5/28/Metal	Each
M001455540	45-554	Kit/CPU/14.5/37/Metal	Each
M001455580	45-558	Kit/CPU/14.5/50/Metal	Each

Key: Catheter Type/Catheter Material/Sheath Size (F)/Catheter Length (cm)/Tunnelor Material Type

CPU = Carbothane Polyurethane

Each System Contains: Vaxcel Plus Chronic Dialysis Catheter; 14.5 F Peelable Sheath with Locking Dilator; Plastic or Metal Tunnelor; Two Dead-End Caps.

Each Kit Contains: Vaxcel Plus Chronic Dialysis Catheter; 14.5 F Peelable Sheath with Locking Dilator; Plastic or Metal Tunnelor; Two Dead-End Caps; 18 Gauge Safety Entry Needle; 1.01 mm (0.038") Guidewire, 70 cm Length; Safety Scalpel; Three Sequential Dilators (8, 10, and 12 F); Two Transparent Dressings; CSR Wrap.

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

VASCULAR ACCESS ACCESSORIES

■ VAXCEL™ MINI STICK VASCULAR ENTRY SYSTEMS

UPN	Order Number	Description	Units
Coaxial Entry Kits			
M001459801	45-980	Coaxial/4/SS/SS	Box/10
M001459871	45-987	Coaxial/4/SS/P	Box/10
M001459881	45-988	Coaxial/4/Nitinol/P	Box/10
M001459861	45-986	Coaxial/4.5/SS/SS	Box/10
M001459811	45-981	Coaxial/4.5/SS/P	Box/10
M001459821	45-982	Coaxial/4.5/Nitinol/P	Box/10
M001459921	45-992	Coaxial/5/SS/SS	Box/10
M001459931	45-993	Coaxial/5/SS/P	Box/10
M001459941	45-994	Coaxial/5/Nitinol/P	Box/10

Key: Sheath Type/Sheath Size (F)/Wire Material/Tip Material

SS = Stainless Steel P = Platinum

Each Kit Contains: One 21 Gauge Entry Needle; One 0.47 mm (0.018") Guidewire, 40 cm Length; One Sheath with Locking Dilator.

Peelable Entry Kits

M001459841	45-984	Peelable/5/SS/P	Box/10
M001459851	45-985	Peelable/6/SS/P	Box/10
M001459891	45-989	Peelable/4.5/Nitinol/P	Box/10
M001459901	45-990	Peelable/5/Nitinol/P	Box/10
M001459911	45-991	Peelable/6/Nitinol/P	Box/10

Key: Sheath Type/Sheath Size (F)/Wire Material/Tip Material

SS = Stainless Steel P = Platinum

Each Kit Contains: One 21 Gauge Entry Needle; One 0.47 mm (0.018") Guidewire, 60 cm Length; One Sheath with Locking Dilator.

■ INSERTION KITS

UPN	Order Number	Description	Units
M001MS3K1	MS3K	3 F MST Insertion Kit	Box/5
M001MS4K1	MS4K	4.5 F MST Insertion Kit	Box/5
M001MS5K1	MS5K	5 F MST Insertion Kit	Box/5
M001MS6K1	MS6K	6 F MST Insertion Kit	Box/5

Each Kit Contains: 21 Gauge, 3.8 cm (1.5") Introducer Needle; 30 cm Guidewire with Double Floppy Tip; Scalpel; and 5 cm Peelable Sheath/Dilator.

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ CLOSED FLUID SYSTEMS FOR ANGIOGRAPHY

UPN	Description	Units
ANGIO-SAC™ Collection System		
H965640009251	1000 mL Capacity with Female Luer Slip “Brewer’s Sac”	Box/10
H965905000181	1000 mL Capacity with Male Luer Lock	Box/25
H965905000281	1500 mL Capacity with Male Luer Lock and Check Valve	Box/25
Abscess Drainage		
H965905000401	Abscess Evacuation Set	Box/10
Protection Station™		
H965640009341	Protection Station for Non-Pressurized Fluid Applications	Box/20
H965640009361	Protection Station for Pressurized Fluid Application with M-RA Adaptor	Box/10
H965640009441	Protection Station with Drape Clip	Box/20
H965940009041	Protection Station for Non-Pressurized Fluid Application with Bifurcated Saline Line	Box/10
H965940009521	Protection Station for Pressurized Fluid Application with In-Line Three-Way Stopcocks	Box/10
H965940009541	Protection Station for Pressurized Fluid Application with Bifurcated Saline Line	Box/10
Protection Station Plus		
H965640009351	Protection Station Plus	Box/20
H965640009451	Protection Station Plus with Drape Clip	Box/20
H965640009551	Protection Station Plus with In-Line Contrast Management System	Box/20
Filling Stations		
H965905000601	Filling Station	Box/10
H965905000651	Filling Station Plus 183 cm (72”), Vented	Box/10
Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits		
H749913102001	Standard Peripheral Vascular Kit	Box/10
H749913102101	Standard Protection Station System with 10 mL Radiology Control Syringe	Box/10
H749913102201	Standard Protection Station System with 10 mL Radiology Control Syringe and 122 cm (48”) flexCIL™ Contrast Injection Line	Box/10
H749913102301	Standard Protection Station System with 10 mL Radiology Control Syringe, Polypropylene Syringes and 122 cm (48”) flexCIL Contrast Injection Line	Box/10
H749913103001	Standard Protection Station Plus System	Box/10
H749913103101	Standard Protection Station Plus System with 10 mL Radiology Control Syringe	Box/10
H749913103201	Standard Protection Station Plus System with 10 mL Radiology Control Syringe and 122 cm (48”) flexCIL Contrast Injection Line	Box/10
H749913103301	Standard Protection Station Plus System with 10 mL Radiology Control Syringe, Polypropylene Syringes and 122 cm (48”) flexCIL Contrast Injection Line	Box/10

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ CONTRAST INJECTION LINES

UPN	Fitting	Length	Units
clearaCIL™ High Pressure Contrast Injection Lines, 1200 psi (84 kg/cm2)			
H965910311031	Female Luer Lock to Rotating Adaptor	25 cm (10")	Box/25
H965910312031	Female Luer Lock to Rotating Adaptor	51 cm (20")	Box/25
H965910313031	Female Luer Lock to Rotating Adaptor	76 cm (30")	Box/25
H965910314831	Female Luer Lock to Rotating Adaptor	122 cm (48")	Box/25
H965910311021	Female Luer Lock to Male Luer Lock	25 cm (10")	Box/25
H965910312021	Female Luer Lock to Male Luer Lock	51 cm (20")	Box/25
H965910313021	Female Luer Lock to Male Luer Lock	76 cm (30")	Box/25
H965910314821	Female Luer Lock to Male Luer Lock	122 cm (48")	Box/25
flexCIL™ High Pressure Contrast Injection Lines, 1200 psi (84 kg/cm2)			
H965910511031	Female Luer Lock to Rotating Adaptor	25 cm (10")	Box/25
H965910512031	Female Luer Lock to Rotating Adaptor	51 cm (20")	Box/25
H965910513031	Female Luer Lock to Rotating Adaptor	76 cm (30")	Box/25
H965910514831	Female Luer Lock to Rotating Adaptor	122 cm (48")	Box/25
H749910516031	Female Luer Lock to Rotating Adaptor	152 cm (60")	Box/25
H749910517231	Female Luer Lock to Rotating Adaptor	183 cm (72")	Box/25
H965910511021	Female Luer Lock to Male Luer Lock	25 cm (10")	Box/25
H965910512021	Female Luer Lock to Male Luer Lock	51 cm (20")	Box/25
H965910513021	Female Luer Lock to Male Luer Lock	76 cm (30")	Box/25
H965910514821	Female Luer Lock to Male Luer Lock	122 cm (48")	Box/25
H749910516021	Female Luer Lock to Male Luer Lock	152 cm (60")	Box/25
H749910517221	Female Luer Lock to Male Luer Lock	183 cm (72")	Box/25
HPCIL High Pressure Contrast Injection Lines, 1000 psi (70 kg/cm2)			
H965910011031	Female Luer Lock to Rotating Adaptor	25 cm (10")	Box/25
H965910012031	Female Luer Lock to Rotating Adaptor	51 cm (20")	Box/25
H965910013031	Female Luer Lock to Rotating Adaptor	76 cm (30")	Box/25
H965910014831	Female Luer Lock to Rotating Adaptor	122 cm (48")	Box/25
H965910111021	Female Luer Lock to Male Luer Lock	25 cm (10")	Box/25
H965910112021	Female Luer Lock to Male Luer Lock	51 cm (20")	Box/25
H965910113021	Female Luer Lock to Male Luer Lock	76 cm (30")	Box/25
H965910114821	Female Luer Lock to Male Luer Lock	122 cm (48")	Box/25
LPCIL Low Pressure Contrast Injection Lines, 500 psi (35 kg/cm2)			
H965910211021	Female Luer Lock to Male Luer Lock	25 cm (10")	Box/25
H965910212021	Female Luer Lock to Male Luer Lock	51 cm (20")	Box/25
H965910213021	Female Luer Lock to Male Luer Lock	76 cm (30")	Box/25
H965910214821	Female Luer Lock to Male Luer Lock	122 cm (48")	Box/25

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ CONTRAST MANAGEMENT SYSTEMS

UPN	Description	Units
Contrast Controller Spike Assembly		
H965904000391	Spike Assembly	Box/25
H965904008391	Elongated Spike Assembly	Box/25
Squeeze Contrast Controller™		
H749904004351	183 cm (72") Tubing Assembly	Box/10
Contrast Management Tubing Assembly		
H965640000101	In-Line Contrast Management System with Two Check Valves and Integral Stopcock	Box/10
Protection Station™ Plus System with In-Line Contrast Management System		
H965640009551	Protection Station Plus and In-Line Contrast Management System	Box/20

■ ANGIOGRAPHIC CORE WIRES

UPN	Tip Shape	Coating	Size	Length	Other Description	Units
Fixed Core, Exchange						
H965970004051	3 mm J	PTFE	0.94 mm (0.035")	260 cm		Box/10
H965970004011	Straight	PTFE	0.94 mm (0.035")	260 cm		Box/10
H965970004021	Straight	PTFE	1.01 mm (0.038")	260 cm		Box/10
Fixed Core, J-Tip						
H965970003071	1.5 mm J	PTFE	0.94 mm (0.035")	145 cm	Double Distal	Box/10
H965970002011	1.5 mm J	PTFE	0.94 mm (0.035")	175 cm		Box/10
H965970002161	3 mm J	PTFE	0.69 mm (0.025")	145 cm		Box/10
H965970002321	3 mm J	PTFE	0.87 mm (0.032")	145 cm		Box/10
H965970002021	3 mm J	PTFE	0.94 mm (0.035")	145 cm		Box/10
H965970002221	3 mm J (EZ)	PTFE	0.94 mm (0.035")	145 cm		Box/10
H965970002081	3 mm J	PTFE	0.94 mm (0.035")	145 cm	Long Taper	Box/10
H965970002101	3 mm J	PTFE	0.94 mm (0.035")	175 cm		Box/10
H965970002051	3 mm J	PTFE	1.01 mm (0.038")	145 cm		Box/10
H965970002111	3 mm J	PTFE	1.01 mm (0.038")	175 cm		Box/10
H965970002351	6 mm J	PTFE	0.94 mm (0.035")	145 cm		Box/10
H965970002171	15 mm J	PTFE	0.94 mm (0.035")	145 cm		Box/10
Fixed Core, Straight						
H965970001081	Straight	PTFE	0.51 mm (0.018")	60 cm	Long Taper	Box/10
H965970001091	Straight	PTFE	0.69 mm (0.025")	60 cm	Long Taper	Box/10
H965970001071	Straight	PTFE	0.69 mm (0.025")	145 cm		Box/10
H965970001131	Straight	PTFE	0.87 mm (0.032")	60 cm	Long Taper	Box/10
H965970006011	Straight	PTFE	0.94 mm (0.035")	145 cm	Flexible Tip, 7 cm	Box/10
H965970001011	Straight	PTFE	0.94 mm (0.035")	145 cm		Box/10
H965970001051	Straight	PTFE	0.94 mm (0.035")	145 cm	Long Taper	Box/10
H965970001061	Straight	PTFE	1.01 mm (0.038")	145 cm	Long Taper, 10 cm	Box/10
H965970001121	Straight	PTFE	1.01 mm (0.038")	145 cm	Long Taper, 15 cm	Box/10
H965970001031	Straight	PTFE	1.01 mm (0.038")	145 cm		Box/10
Movable Core, J-Tip						
H965970005071	3 mm J	PTFE	0.87 mm (0.032")	145 cm		Box/10
H965970005011	3 mm J	PTFE	0.94 mm (0.035")	145 cm		Box/10
H965970005031	3 mm J	PTFE	1.01 mm (0.038")	145 cm		Box/10

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ FLUID DELIVERY SYSTEMS

UPN	Description	Units
-----	-------------	-------

Contrast Removal Valve

H965913000201	Vented Spike with Female Luer Lock	Box/25
---------------	------------------------------------	--------

UPN	Drip Chamber	Vented or Non-Vented	Filter	Length	Tubing Type	Units
-----	--------------	----------------------	--------	--------	-------------	-------

With Drip Chamber

H965913000011	Micro	Non-Vented	15 Micron	122 cm (48")	I.V.	Box/25
H965913000051	Macro	Vented	None	183 cm (72")	I.V.	Box/25
H965913000091	Macro	Non-Vented	15 Micron	274 cm (108")	I.V.	Box/25
H965913000111	Macro	Non-Vented	15 Micron	122 cm (48")	I.V.	Box/25
H965913000121	Macro	Non-Vented	None	122 cm (48"), Bifurcated	I.V.	Box/25
H965913000131	Macro	Non-Vented	None	122 cm (48"), Trifurcated	I.V.	Box/25
H965913000351	Macro	Non-Vented	None	183 cm (72"), Bifurcated	I.V.	Box/25
H965913000521	Macro	Non-Vented	15 Micron	183 cm (72")	I.V.	Box/25
H749990000691	Micro	Non-Vented	None	343 cm (135")	I.V.	Box/25
H749990000701	Macro	Non-Vented	15 Micron	343 cm (135")	I.V.	Box/25

Without Drip Chamber

H965913000261	Vented	None	None	183 cm (72")	Large Bore	Box/25
H965913000041	Vented	None	None	183 cm (72")	I.V.	Box/25
H965913000071	Vented	None	None	274 cm (108")	I.V.	Box/25

UPN	Description	Units
-----	-------------	-------

Miscellaneous Large Bore Fluid Delivery Sets

H965913000211	SOSA Pressurized 183 cm (72") Fluid Delivery Set	Box/25
H965905000701	Dual Backcheck Valve with 183 cm (72") Fluid Administration Set - Vented	Box/10

■ COMPENSATOR™ PRESSURE MONITORING MANIFOLDS

UPN	Handles	Handle Type	Ports	Style	Pressure Rating*	Units
-----	---------	-------------	-------	-------	------------------	-------

One-Valve

H965700581071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700581081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10

Two-Valve

H965700582071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700582081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700582171	Off	Regular	Left	Fingergrip, Wide Spaced	Medium Pressure	Box/10

Three Valve

H965700583071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700583081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700583171	Off	Regular	Left	Fingergrip, Wide Spaced	Medium Pressure	Box/10

Four-Valve

H965700584071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700584081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700584171	Off	Regular	Left	Fingergrip, Wide Spaced	Medium Pressure	Box/10

* Medium Pressure = 14 bar (200 psi) Static Pressure
 High Pressure = 35 bar (500 psi) Static Pressure

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ PERCEPTOR™ PRESSURE MONITORING MANIFOLDS

UPN	Handles	Handle Type	Ports	Style	Pressure Rating*	Units
One-Valve						
H965700381071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700381081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965640371071	Off	Star	Right	Fingergrip, Wide Spaced	High Pressure	Box/10
Two-Valve						
H965700382071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700382081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700382171	Off	Regular	Left	Fingergrip, Wide Spaced	Medium Pressure	Box/10
Three-Valve						
H965700383071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700383081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700383171	Off	Regular	Left	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965640393071	Off	Star	Right	Fingergrip, Wide Spaced	High Pressure	Box/10
H965640393081	On	Star	Right	Fingergrip, Wide Spaced	High Pressure	Box/10
Four-Valve						
H965700384071	Off	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700384081	On	Regular	Right	Fingergrip, Wide Spaced	Medium Pressure	Box/10
H965700384171	Off	Regular	Left	Fingergrip, Wide Spaced	Medium Pressure	Box/10

* Medium Pressure = 14 bar (200 psi) Static Pressure
 High Pressure = 35 bar (500 psi) Static Pressure

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ NAMIC ANGIOGRAPHIC MANIFOLDS

UPN	Handles	Handle Type	Ports	Style	Extension Tubing Length	Units
Two-Valve with Rotating Adaptor, Medium Pressure						
H965640382001	Off	Star	Right	Fingergrip, Wide Spaced	No	Box/25
H965640382021	On	Star	Right	Fingergrip, Wide Spaced	No	Box/25
H965700362001	Off	Regular	Right	Fingergrip	15 cm (6")	Box/25
H965700362021	On	Regular	Right	Fingergrip	15 cm (6")	Box/25
H965700382001	Off	Regular	Right	Fingergrip	No	Box/25
H965700382021	On	Regular	Right	Fingergrip	No	Box/25
H965700382121	Off	Regular	Left	Fingergrip	No	Box/25
H965700392001	Off	Regular	Right	Block Body	No	Box/25
H965700392021	On	Regular	Right	Block Body	No	Box/25
H965700392121	Off	Regular	Left	Block Body	No	Box/25
Two-Valve with Rotating Adaptor, High Pressure						
H965700372001	Off	Regular	Right	Block Body	No	Box/25
H965700372021	On	Regular	Right	Block Body	No	Box/25
H965700372121	Off	Regular	Left	Block Body	No	Box/25
Three-Valve with Rotating Adaptor, Medium Pressure						
H965640383011	Off	Star	Right	Fingergrip, Wide Spaced	No	Box/25
H965640383031	On	Star	Right	Fingergrip, Wide Spaced	No	Box/25
Three-Valve with Rotating Adaptor, Medium Pressure						
H965700363011	Off	Regular	Right	Fingergrip	15 cm (6")	Box/25
H965700363031	On	Regular	Right	Fingergrip	15 cm (6")	Box/25
H965700383011	Off	Regular	Right	Fingergrip	No	Box/25
H965700383031	On	Regular	Right	Fingergrip	No	Box/25
H965700383131	Off	Regular	Left	Fingergrip	No	Box/25
H965700393011	Off	Regular	Right	Block Body	No	Box/25
H965700393031	On	Regular	Right	Block Body	No	Box/25
H965700393131	Off	Regular	Left	Block Body	No	Box/25
Three-Valve with Rotating Adaptor, High Pressure						
H965700373011	Off	Regular	Right	Block Body	No	Box/25
H965700373031	On	Regular	Right	Block Body	No	Box/25
H965700373131	Off	Regular	Left	Block Body	No	Box/25
Four-Valve with Rotating Adaptor, Medium Pressure						
H965640384021	Off	Star	Right	Fingergrip, Wide Spaced	No	Box/25
H965640384041	On	Star	Right	Fingergrip, Wide Spaced	No	Box/25
H965700384021	Off	Regular	Right	Fingergrip	No	Box/25
H965700384041	On	Regular	Right	Fingergrip	No	Box/25
H965700384141	Off	Regular	Left	Fingergrip	No	Box/25
H965700394021	Off	Regular	Right	Block Body	No	Box/25
H965700394041	On	Regular	Right	Block Body	No	Box/25
H965700394141	Off	Regular	Left	Block Body	No	Box/25
Four-Valve with Rotating Adaptor, High Pressure						
H965700374021	Off	Regular	Right	Block Body	No	Box/25
H965700374041	On	Regular	Right	Block Body	No	Box/25
H965700374141	Off	Regular	Left	Block Body	No	Box/25

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ TRADITIONAL MANIFOLDS FOR PRESSURE MONITORING (ALL FEMALE PORTS)

UPN	Handles	Handle Type	Description	Units
H965700393521	Off	Regular	Two-Valve with Four Female Ports	Box/25
H965700393531	Off	Regular	Three-Valve with Five Female Ports	Box/25
H965700393541	Off	Regular	Four-Valve with Six Female Ports	Box/25
H965700393551	Off	Regular	Five-Valve with Seven Female Ports	Box/25

■ PRESSURE MONITORING LINES

UPN	Length	Units
Adult High Frequency, Female Luer Lock to Male Luer Lock		
H965907010621	15 cm (6")	Box/25
H965907011221	31 cm (12")	Box/25
H965907012421	61 cm (24")	Box/25
H965907013621	91 cm (36")	Box/25
H965907014821	122 cm (48")	Box/25
H965907016021	152 cm (60")	Box/25
H965907017221	183 cm (72")	Box/25
H965907018421	213 cm (84")	Box/25
H965907019621	244 cm (96")	Box/25
Adult High Frequency, Male Luer Lock to Male Luer Lock		
H965907021221	31 cm (12")	Box/25
H965907022421	61 cm (24")	Box/25
H965907023621	91 cm (36")	Box/25
H965907024821	122 cm (48")	Box/25
H965907026021	152 cm (60")	Box/25
H965907027221	183 cm (72")	Box/25
H965907028421	213 cm (84")	Box/25
H965907029621	244 cm (96")	Box/25

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ PRESSURE MONITORING LINES

UPN	Length	Units
Pediatric, Female Luer to Male Luer Lock		
H965907110621	15 cm (6")	Box/25
H965907111221	31 cm (12")	Box/25
H965907112421	61 cm (24")	Box/25
H965907113621	91 cm (36")	Box/25
H965907114821	122 cm (48")	Box/25
H965907117221	183 cm (72")	Box/25
Pediatric, Male Luer Lock to Male Luer Lock		
H965907121221	31 cm (12")	Box/25
H965907122421	61 cm (24")	Box/25
H965907123621	91 cm (36")	Box/25
H965907124821	122 cm (48")	Box/25
H965907127221	183 cm (72")	Box/25

■ PRESSURE MONITORING ACCESSORIES FOR COMPENSATOR™ MANIFOLDS

UPN	Description	Units
H965640003520	Reusable Metal Compensator Mounting Bracket	Each
H965640019820	Reusable Adjustable Heart Level Shelf	Each
H965700301520	Mounting Plate	Each
H965700300510	Reusable Plastic Pole Clamp	Each

■ PRESSURE MONITORING ACCESSORIES FOR THE PERCEPTOR™ DISPOSABLE TRANSDUCERS

UPN	Description	Mounting Position	Units
H965700300510	Reusable Plastic Pole Clamp	Vertical	Each
H965700300530	Reusable Metal Pole Clamp	Vertical	Each
H965700300540	Reusable Metal Pole Clamp	Horizontal	Each
H965700301520	Mounting Plate (Holds up to Two PERCEPTOR DT Devices)	None	Each
H965640001530	Mounting Plate (Holds up to Four PERCEPTOR DT Devices)	None	Each

■ PRESSURE MONITORING ACCESSORIES FOR MONITORING MANIFOLDS

UPN	Description	Units
H965640002700	Reusable Aluminum Stationary Clamp	Each

■ PRESSURE MONITORING STANDARD POLE MOUNT KITS

UPN	Three-Way Stopcock Mount	One-Way Stopcock Mount	Pigtail Cable Length	Units
H965704000521	Top	Bottom	61 cm (24")	Box/20
H965704000551	Bottom	Top	61 cm (24")	Box/20
H965704000571	—	Bottom	122 cm (48")	Box/20

■ DISPOSABLE TRANSDUCERS PERCEPTOR™ DT

UPN	Three-Way Stopcock Mount	One-Way Stopcock Mount	Flush Device	Pigtail Cable Length	Units
H965700300131	None	None	None	61 cm (24")	Box/10
H965700300141	None	None	None	122 cm (48")	Box/10
H965700360011	Top	None	3 mL/hour Flush Device	61 cm (24")	Box/10

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ ARTERIAL SETS

UPN	Description	Flush Device	Units
H965700361481	Arterial Line Kit – 122 cm (48")	3 mL/hour Flush Device	Box/10
Each Kit Contains: 182 cm (72") Chambered IV Spike with Filter; Two Three-Way Stopcocks; 122 cm (48") Pressure Monitoring Line; 31 cm (12") Pressure Monitoring Line			
H965700361601	Arterial Line Kit – 152 cm (60")	3 mL/hour Flush Device	Box/10
Each Kit Contains: 182 cm (72") Chambered IV Spike with Filter; Two Three-Way Stopcocks; 152 cm (60") Pressure Monitoring Line; 31 cm (12") Pressure Monitoring Line			

■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number	Units
610 cm (20 Feet) Length			
H965640420110	Hewlett Packard™	(78532A,) Merlin (Models M1165_, M1166_, M1775A, M1175_, M1176_, M1006_ 54, 56, 66, 68, M1275A, M1264A, D1187A, 9000, M1041A) Omni Care Models M1205A, M1006 A & B, Cath Station 9000 Note: HP Model # 15055A may have either connection.	Each
H965640420110	Hewlett Packard	Rifle Shot (Models 7834_, 7833_), Mini Shot Models 7835_, 78534B), Neo Shot (Models 788_, Haemosphere, Solar™ 8000 and 9500	Each
H965640420110	Philips	IntelliVue™	Each
366 cm (12 Feet) Length			
H965700412080	Air Shields™	AS-8	Each
H965700412160	Air Shields	.800, AS 100	Each
H965700412080	American Optical/Picker	All Other American Optical/Picker Models	Each
H965700412120	American Optical/Picker	1006, 1008, 1016, 1131, 1131A, 1131B, and 1600	Each
H965700412200	Aries	700 Balloon Pump	Each
H965640009880	Bard™	Stamp Amplifier	Each
H965700412110	Bard	CPS Transak System, 8000	Each
H965640420260	BD/Electrodyne	ST419	Each
H965700412070	Biomedical Instrumentation	All Models	Each
H965700412010	Bloom™	Electrophysiology System (Model: BERS – A/D)	Each
H749640420500	Camtronics	PDM (Patient Data Module) 3.X	Each
H965640420170	Cardian III	CR6BT	Each
H965640420140	Cardiolab™	ART-4 Monitor	Each
H965640420290	Cardiolab	ART-1, ART-2	Each
H965640420150	Cobe™	CPC COBE Pump	Each
H965700412080	Colin	BP-408, CMB3000	Each
H965700412110	Criticare™	.508.1100	Each
H965640420250	Dantek	Urodyne 5000 Monitor	Each
H965640420260	Datamedix	Guardian	Each
H965700412080	Datascope™	All Datascope Monitors Except Point of View. Models Include: 97, 870, 2000, 2002, 3000 and Systems 90, 90T, 83 and 84, Passport EL, CS100™ and 98XT	Each

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number	Units
366 cm (12 Feet) Length			
H965640009990	Datex	Cardiicap™ 1, Cardiicap 2 and Puritan Bennet™ PB 245P Models Include: CH1RS, CH2, CH2S, CG2, CG2S, CG2CS	Each
H965700412110	Drager™	North American, All Model	Each
H965640420430	EP	Work Mate™	Each
H965640420160	Fukada Denshi	DS 3300	Each
H965640420190	GE	CGR 1000	Each
H965700412160	Gould™	Statham Monitors. Models Include: IM-1000, JM-1014, IM-1024	Each
H965640420120	Gould	Cath 2000 Monitor, TA 240 Easy Graf, 13-6615-50 Amplifier	Each
H965640420220	Hellige	SMK 155-9, Also for Use with Servimed Modules 236-015, 236-016, 236-037	Each
H965640420090	Hellige	PPG 23607601; SMU Series	Each
H965700412080	Hewlett Packard™	HP 78205B	Each
H965640420330	Hewlett Packard	HP 8805B	Each
H965700412020	Hewlett Packard	Models with Twin-Ax Connector, 8890B, 8823, 700309A	Each
H965700412030	Hewlett Packard	Rifle Shot (Models 7834_, 7833_), Mini Shot (Models 7835_, 78534B), Neo Shot (Models 788_), Haemosphere, Solar™ 8000 and 9500, Veridia, Omni Care Models M1205A and M1006A&B	Each
H965640420340	HME	HME Monitor	Each
H965640420210	J&J - Critikon™	Dynamic Plus, 8720, 8700, 9720	Each
H965640420200	JF Medical	Cares Monitor	Each
H965640009990	Kone	All Models	Each
H965700412220	Kontron™	Kontron 2000 Balloon Pump Monitors and Models 7131 and 7132	Each
H965700412130	Kontron	Kontron Monitors with Cannon Connector	Each
H965700412170	Kontron	Kontron Monitors with Burndy Connector	Each
H965640009850	Kontron	Kontron KAAT, KAAT 2+ Balloon Pump, AKAAT 1 Plus	Each
H965640420350	Lohmeier	Lohmeier Monitor	Each
H965700412080	Mansfield	Mansfield 3000 Series	Each
H965700412100	Marquette™	Marquette GE PDS 3000	Each
H965700412140	Marquette	Monitor Marquette 7000 Series and Marquette 7200 TRAM, Marquette 2000 Series	Each
H965700412230	Marquette	Marquette TRAM™ Series (_00) Models Include: TRAM 100, 200, 300, 400, 500, 600, MQ-2, Unity and MacLab Eagle, 12C, Tramscope 12, Solar™ (8000 Series), MacLab™ 7000 and IT	Each
H749640420500	MedCon	Windsurfer Station	Each
H965700412030	Medical Data Electronics (M.D.E.)	Models with HP Option	Each
H965700412110	Medical Data Electronics (M.D.E.)	All Models Except Those with HP Option	Each

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number	Units
366 cm (12 Feet) Length			
H965700412190	Mennen	Mennen 400 Series, 700 Series and Horizon Series IVY Biomedical Models Include: 426, Transport 741 and 742 Horizon 1100, 2000, 2110, 3000 and 9000	Each
H965700412080	Narco Med	Distributes Datascope Monitors	Each
H965640420280	NEC	Model 1257	Each
H965700412150	Nihon Kohden™	Nihon Kohden Lifescope Series & Model AP800PA Model Include: Lifescope 6 (Mdl OEC-1605A) Lifescope 8 (Mdl OEC-8108A) Lifescope 9 (Mdl BSM-8301A & BSM 8302A) Lifescope 11 (Model OMP-7201C & OMP-7203C) Lifescope 12 (Mdl BSM-8500 & BSM-8500A)	Each
H749640420490	Nippon Colin	BP608	Each
H965640420180	Ohio	All Models	Each
H965700412190	Ohmeda™	Modulus CDVC	Each
H965700412030	Philips	IntelliVue™	Each
H965700412200	Physio-Control™	Physio-Control VSM-1, VSM-4	Each
H965640420040	Physio-Control	Physio-Control VSM-5	Each
H965640420060	PPG Biomedical / E for M / Honeywell	E for M with Pins on Cable	Each
H965640420090	PPG Biomedical / E for M / Honeywell	PPG Biomedical: Vicom Monitor, Hellige 23607601 Monitor	Each
H965640420050	PPG Biomedical / E for M / Honeywell	E for M 7-Pin Amphenol Connector	Each
H965640009840	PPG Biomedical / E for M / Honeywell	PPG Biomedical RM 300	Each
H965700412010	PPG Biomedical / E for M / Honeywell	PPG Biomedical / E for M / Honeywell: VR, AR, EVR, IM, OM, CCO Series and Bloom, Electrophysiology System Model # BERS - A/D. Models include VR12, VR16, AR6, EVR-130 and EVR-180 (Sockets)	Each
H965700412050	PPG Biomedical / E for M / Honeywell	Honeywell: MEDDARS Monitors, M380 (Pins)	Each
H965700412120	PPG Biomedical / E for M / Honeywell	Honeywell: V Series (Pins)	Each
H965640009890	Propaq™	Propaq 104, Critikon Dyna Map Plus	Each
H965640420210	Propaq	Propaq 106 EL	Each
H965640420290	Prucka	CLAB II	Each
H965700412070	Quinton™	Quinton Q-Cath Monitor	Each
H965700412080	Roche	All Models	Each
H965640009990	S & W	Diascope 8000 Trendscope	Each
H965640459800	Sarns™	Sarns 9000 Monitor	Each
H965640420460	Schwarzer	210055 PD 14 Monitor	Each
H749640420610	Schiller/Physiolog	Argus PB-1000	Each
H965700412040	Siemens™	Siemens Sirecust, Penta, Sirem, Sensis and Infinity Delta Monitors Models Include: Sirecust, 401, 402, 403, 404 404-1 and Penta 630, 720, 730, 732, 960, 961, 1280 and 1281, 1261, 1201	Each
H965640420100	Siemens	Siemens Sirecust 300	Each
H965640009970	Siemens	Siemens Micor, Sicor, Ricor and Mingograph Monitors Cathcor™ Monitors (Cable with Locking Mechanism)	Each
H965700412060	Siemens	Siemens Micor, Sicor, Ricor and Mingograph Monitor	Each
H965640420360	Soxil	Soxil Sentinel 2E Monitor	Each

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number	Units
366 cm (12 Feet) Length			
H965640420230	Spacelabs™ / Tektonix / Vitatech Invivo Research, Inc.	TC-SA	Each
H965700412110	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Spacelabs, 400, 500, 600, 903_, 9060_ Series and Vitatech Monitors Model 90431, Omni Trac-TV5, PC-2, Spacelabs 904270-20	Each
H965700412090	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Spacelabs Alpha 14 and Alpha 9	Each
H965700412180	Spacelabs / Tektonix / Vitatech Invivo Research, Inc.	Tektronix 400 Series Monitors	Each
H965640420480	Trex Net	IMAC	Each
H965640420030	Witt Biomedical™	With Cannon Connector	Each
H965640420540	Witt Biomedical	Series IV Digital Front End Monitor	Each
H965700412010	Witt Biomedical	Series IV - Analog	Each
305 cm (10 Feet) Length			
H965700412240	PPG Biomedical / E for M / Honeywell (10 Feet Length)	Midas PPG	Each
183 cm (6 Feet) Length			
H965640420400	Criticare™	Scholar™	Each
H965640420180	Datamedix	Guardian ST419	Each
H965700406180	Datascope™	All Datascope Monitors Except Point of View. Models Include: 97, 870, 2000, 2002, 3000 and Systems 90, 90T, 83 and 84, Passport EL, CS100™ and 98XT	Each
H965700406290	Drager™	North American, All Models	Each
H965700406260	Gould™	Statham Monitors. Models Include: IM-1000, JM-1014, IM-1024	Each
H965700406130	Hewlett Packard™	Rifle Shot (Models 7834_, 7833_) Mini Shot (Models 7835_, 78534B) Neo Shot (Models 788_, 78532A), Haemosphere, Solar™ 8000 and 9500, Veridia, Omni Care Models M1205A and M1006A&B	Each
H965700406120	Hewlett Packard	Models with Twin-Ax Connector, 8890B, 8823, 70_309A	Each
H965700406270	Kontron™	Kontron Monitors with Burndy Connector	Each
H965700406320	Kontron	Kontron 2000 Balloon Pump Monitors and Models 7131 and 7132	Each
H965700406230	Kontron	Kontron Monitors with Cannon Connector	Each
H965640009900	Life-Tech	Waveform Processor	Each
H965700406180	Mansfield	Mansfield 3000 Series	Each
H965700406200	Marquette™	Marquette GE PDS 3000	Each
H965640406330	Marquette	Marquette TRAM™ Series (_00) Models Include: TRAM 100, 200, 300, 400, 500, 600, MQ-2, Unity and Mac Lab Eagle, 12C, Tramscope 12, Solar™, MacLab™ 7000 and IT	Each

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number	Units
183 cm (6 Feet) Length			
H965700406240	Marquette™	Monitor Marquette 7000 Series and Marquette 7200 TRAM, Marquette 2000 Series. Models Include: 7005 and 7010	Each
H749640420510	MedCon	Windsurfer Station	Each
H965700406130	Medical Data Electronics (M.D.E.)	Models with HP Option	Each
H965700406290	Medical Data Electronics (M.D.E.)	All Models Except Those with HP Option	Each
H965700406210	Mennen	Mennen 400 Series, 700 Series and Horizon Series IVYBiomedical Models Include: 426, Transport 741 and 742; Horizon 1100, 2000, 2110, 3000 and 9000	Each
H965700406180	Narco Med	Distributes Datascope Monitors	Each
H965700406250	Nihon Kohden™	Nihon Kohden Lifescope Series & Model AP800PA Models Include: Lifescope 6 (Mdl OEC-1605A) Lifescope 8 (Mdl OEC-8108A) Lifescope 9 (Mdl BSM-8301A & BSM 8302A) Lifescope 11 (Mdl OMP-7201C & OMP-7203C) Lifescope 12 (Mdl BSM-8500 & BSM-8500A)	Each
H965700406290	Ohmeda™	Modulus CDVC	Each
H965700406130	Philips	IntelliVue™	Each
H965700406300	Physio-Control™	Physio-Control VSM-1, VSM-4	Each
H965700406150	PPG BioMedical / E for M / Honeywell	Honeywell: MEDDARS Monitors, M380 (Pins)	Each
H965700406220	PPG BioMedical / E for M / Honeywell	Honeywell: V Series (Pins)	Each
H749700406110	PPG BioMedical / E for M / Honeywell	PPG Biomedical / E for M / Honeywell: VR, AR, EVR, IM, OM, CCO Series and Bloom Electrophysiology System Model # BERS - A/D. Models Include: VR12, VR16, AR6, EVR-130 and EVR-180 (Sockets)	Each
H965700406170	Quinton™	Quinton Q-Cath Monitor	Each
H965700406180	Roche	All Models	Each
H965700406140	Siemens™	Siemens Sirecust, Penta, Sirem, Sensis and Infinity Delta Monitors. Models Include: Sirecust, 401, 402, 403, 404, 404-1 and Penta 630, 720, 730, 732, 960, 961, 1280 and 1281, 1261, 1201	Each
H965700406160	Siemens	Siemens Micor, Sicor, Ricor and Mingograph Monitors Cathcor™ Monitors	Each
H965700406280	Spacelabs™ / Tektonix / Vititech Invivo Research, Inc.	Tektronix 400 Series Monitors	Each
H965700406190	Spacelabs / Tektonix / Vititech Invivo Research, Inc.	Spacelabs Alpha 14 and Alpha 9 Vititech Invivo Research Labs	Each
H965700406210	Spacelabs / Tektonix / Vititech Invivo Research, Inc.	Spacelabs 400, 500, 600, 9030_, 9060_ Series and Vititech Monitors Model 90431, Omni Trac-TV5, PC-2, Spacelabs 90470-20	Each
H749700406110	Witt Biomedical™	Series IV - Analog	Each
H749640420530	Witt Biomedical	Series IV Digital Front End Monitor	Each

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ REUSABLE PRESSURE MONITORING CABLES (DEVICE-TO-MONITOR)

UPN	Monitoring Equipment Compatibility	Series Names and Model Number	Units
183 cm (6 Feet) Length			
H965700406180	Air Shields™	AS-8	Each
H965700406260	Air Shields	800, AS 100	Each
H965700406220	American Optical/ Picker	1006, 1008, 1016, 1131, 1131A, 1131B, and 1600	Each
H965700406180	American Optical/ Picker	All other American Optical/Picker Models	Each
H965700406300	Aries	700 Balloon Pump	Each
H965700406210	Bard™	CPS Transak System, 8000	Each
H965640420180	BD/Electrodyne	ST419	Each
H965700406170	Biomedical Instrumentation	All Models	Each
H749700406110	Bloom	Electrophysiology System (Model: BERS - A/D)	Each
H749640420510	Camtronics	PDM (Patient Data Module) 3.X	Each
H965700406180	Colin	BP-408, CMB3000	Each
H965640009980	Corometrics™	Models 506, 515 and 515A	Each
H965700406210	Criticare™	508, 1100	Each
61 cm (2 Feet) Length			
H965640420470	Marquette™ (2 Foot Length)	Marquette TRAM™ Series (_00) Models Include: TRAM 100, 200, 300, 400, 500, 600, MQ-2, Unity and Mac Lab Eagle, 12C, Tramscope 12, Solar (8000 series), Mac Lab 7000 and IT	Each

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ ARTERIAL EXTENSION SET WITH STOPCOCK

UPN	Extension Length	Description	Port Protectors	Units
Arterial Extension Sets with Stopcock				
H965907030501	11 cm (4.5")	Pediatric Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes	Box/25
H965907030621	15 cm (6")	Adult Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes	Box/25
H965907030921	23 cm (9")	Adult Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes	Box/25
H965907031221	30 cm (12")	Adult Pressure Line Extension to Three-Way Stopcock with Male Luer Lock	Yes	Box/25

■ EXTENSION SETS WITH NAMIC STOPCOCK

UPN	Stopcock Pressure Rating	Extension Length	Port Protectors	Units
Three-Way Stopcock				
H965700153121	14 bar (200 psi)	30 cm (12") with Male Luer Slip	Yes	Box/25
H965700153201	14 bar (200 psi)	51 cm (20") with Male Luer Slip	Yes	Box/25
H965700153331	14 bar (200 psi)	84 cm (33") with Male Luer Slip	Yes	Box/25
Four-Way Stopcock				
H965700154121	14 bar (200 psi)	30 cm (12") with Male Luer Slip	Yes	Box/25
H965700154201	14 bar (200 psi)	51 cm (20") with Male Luer Slip	Yes	Box/25
H965700154331	14 bar (200 psi)	84 cm (33") with Male Luer Slip	Yes	Box/25

■ STOPCOCKS

UPN	Pressure Rating	Fittings	Ports	Port Protectors	Units
One-Way					
H965700150151	14 bar (200 psi)	Rotating Male Collar		Yes	Box/50
H965700150161	14 bar (200 psi)	Male Luer Slip		No	Box/50
H965700550171	72 bar (1050 psi)	Fixed Male Luer Lock		No	Box/50
Three-Way					
H965700150001	14 bar (200 psi)	Male Luer Slip	Right	No	Box/50
H965700150011	14 bar (200 psi)	Male Luer Slip	Right	Yes	Box/50
H965700150021	14 bar (200 psi)	Rotating Male Collar	Right	Yes	Box/50
H965700150031	14 bar (200 psi)	Fixed Male Luer Lock	Right	Yes	Box/50
H965700350081	28 bar (400 psi)	Rotating Adaptor	Left	No	Box/50
H965700350031	28 bar (400 psi)	Fixed Male Luer Lock	Right	Yes	Box/50
H965700350091	28 bar (400 psi)	Rotating Adaptor	Right	No	Box/50
H965700350021	28 bar (400 psi)	Rotating Male Collar	Right	Yes	Box/50
H965700550091	72 bar (1050 psi)	Rotating Adaptor	Right	No	Box/50
H965700550031	72 bar (1050 psi)	Fixed Male Luer Lock	Right	No	Box/50
H965700550081	72 bar (1050 psi)	Rotating Adaptor	Left	No	Box/50
Four-Way					
H965700150101	14 bar (200 psi)	Male Luer Slip	Right	No	Box/50
H965700150111	14 bar (200 psi)	Male Luer Slip	Right	Yes	Box/50
H965700150121	14 bar (200 psi)	Rotating Male Collar	Right	Yes	Box/50
H965700150131	14 bar (200 psi)	Fixed Male Luer Lock	Right	Yes	Box/50
H965700350131	28 bar (400 psi)	Fixed Male Luer Lock	Right	Yes	Box/50
H965700350121	28 bar (400 psi)	Rotating Male Collar	Right	Yes	Box/50

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ ANGIOGRAPHIC CONTROL SYRINGES

UPN	Fitting	0.5 mL Reservoir	Units
8 mL Syringes, Thumb Ring with Finger Rings			
H749700270901	Fixed Male Luer Lock	Yes	Box/25
10 mL Syringes, Palm Pad with Finger Grips			
H965700951071	Rotating Adaptor	Yes	Box/10
10 mL Syringes, Palm Pad with Finger Rings			
H965700950031	Fixed Male Luer Lock	Yes	Box/10
H965700950071	Rotating Adaptor	Yes	Box/10
10 mL Syringes, Thumb Ring with Finger Grips			
H965700851071	Rotating Adaptor	Yes	Box/10
10 mL Syringes, Thumb Ring with Finger Rings			
H965700850031	Fixed Male Luer Lock	Yes	Box/10
H965700850041	Extended Male Luer Lock	Yes	Box/10
H965700850051	Extended Rotating Adaptor	Yes	Box/10
H965700850071	Rotating Adaptor	Yes	Box/10
12 mL Syringes, Palm Pad with Finger Grips			
H965700971071	Rotating Adaptor	Yes	Box/10
H965700981071	Rotating Adaptor	No	Box/10
12 mL Syringes, Palm Pad with Finger Rings			
H965700970031	Fixed Male Luer Lock	Yes	Box/10
H965700970071	Rotating Adaptor	Yes	Box/10
H965700980031	Fixed Male Luer Lock	No	Box/10
H965700980071	Rotating Adaptor	No	Box/10
12 mL Syringes, Thumb Ring with Finger Grips			
H965700871071	Rotating Adaptor	Yes	Box/10
12 mL Syringes, Thumb Ring with Finger Rings			
H965700870031	Fixed Male Luer Lock	Yes	Box/10
H965700870071	Rotating Adaptor	Yes	Box/10
H965700880031	Fixed Male Luer Lock	No	Box/10
H965700880071	Rotating Adaptor	No	Box/10
20 mL Syringes, Thumb Ring with Finger Rings			
H965700750231	Fixed Male Luer Lock	Yes	Box/25
H965700750271	Rotating Adaptor	Yes	Box/25

■ RADIOLOGY CONTROL SYRINGES

UPN	Fitting	0.5 mL Reservoir	Units
H965705051031	Fixed Male Luer Lock	Yes	Box/25
H965705062031	Fixed Male Luer Lock	No	Box/25

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ TORQUE DEVICES

UPN	Model	Guidewire Compatibility	Units
H965914003001	NAMIC Torque Device	0.25 mm - 0.46 mm (0.010" - 0.018")	Box/10
H74904487202	TD2™ Torque Device	0.36 mm - 0.51 mm (0.010" - 0.018")	Box/20
H74902470012	The Grip™ Torque Device	0.89 mm - 1.01 mm (0.014" - 0.018")	Box/10

■ GUIDEWIRE INSERTION TOOLS

UPN	Model	Units
H74904490202	Avenue™ Insertion Tool	Box/20
H965914004001	NAMIC Guidewire Introducer	Box/10

■ Y-ADAPTORS*

UPN	Model	Internal Diameter	Units
H965914000211	Y-Adaptor	2.54 mm (0.100")	Box/5
H965640001221	Y-Adaptor with Intermediate Threads	2.54 mm (0.100")	Box/5
H965914000231	Y-Adaptor with Side Arm Extension	2.54 mm (0.100")	Box/5
H965640001231	Large Bore Y-Adaptor	2.87 mm (0.113")	Box/5
H965640001271	Large Bore Y-Adaptor with Low Profile Rotating Adaptor	2.87 mm (0.113")	Box/5
H965640001241	Large Bore Y-Adaptor with Side Arm Extension	2.87 mm (0.113")	Box/5
H965914000251	Option 125 Y-Adaptor	3.18 mm (0.125")	Box/5
H965914000281	Option 125 Y-Adaptor with Low Profile Rotating Adaptor	3.18 mm (0.125")	Box/5

Each Y-Adaptor Contains: One Y-Adaptor and NAMIC Guidewire Introducer

* 200 psi (1379 kPa) Pressure Rating

■ Y-ADAPTOR KITS*

UPN	Model	Guidewire Compatibility	Units
H965914002211	Y-Adaptor Kit	2.54 mm (0.100")	Box/5
H965640002221	Y-Adaptor with Intermediate Threads Kit	2.54 mm (0.100")	Box/5
H965640002231	Large Bore Y-Adaptor Kit	2.87 mm (0.113")	Box/5
H965640002271	Large Bore Y-Adaptor with Low Profile Rotating Adaptor Kit	2.87 mm (0.113")	Box/5
H965640002241	Large Bore Y-Adaptor with Side Arm Extension Kit	2.87 mm (0.113")	Box/5
H965914002251	Option 125 Y-Adaptor Kit	3.18 mm (0.125")	Box/5
H965914002281	Option 125 Y-Adaptor with Low Profile Rotating Adaptor Kit	3.18 mm (0.125")	Box/5

Each Kit Contains: One Y-Adaptor, Torque Device and NAMIC Guidewire Introducer

* 200 psi (1379 kPa) Pressure Rating

■ TRI-ADAPTORS*

UPN	Model	Internal Diameter	Units
H965914000311	Tri-Adaptor	2.54 mm (0.100")	Box/5
H965914000351	Option 125 Tri-Adaptor	3.18 mm (0.125")	Box/5

Each Tri-Adaptor contains: One Tri-Adaptor and NAMIC Guidewire Introducer

* 200 psi (1379 kPa) Pressure Rating

■ ESSENTIALS™ KIT

UPN	Model	Internal Diameter	Units
H74904494102	Essentials Kit	2.9 mm (0.118")	Box/10

Each Kit Contains: GateWay™ Plus Y-Adaptor, Torque Device and Avenue Insertion Tool

Not all products are available in all countries. Please contact your local representative for product availability in your area.

NAMIC™ FLUID MANAGEMENT

■ TRI-ADAPTOR KITS

UPN	Model	Guidewire Compatibility	Units
H965914002311	Tri-Adaptor Kit	2.54 mm (0.100")	Box/5
H965914002351	Option 125 Tri-Adaptor Kit	3.18 mm (0.125")	Box/5

Each Kit Contains: One Tri-Adaptor, Torque Device, and NAMIC Guidewire Introducer

■ ADAPTORS/CONNECTORS

UPN	Fittings	Units
H965907051011	Female Luer Lock to Female Luer Lock Tubing Connector	Box/50
H965907052021	Male Luer Lock to Male Luer Lock Tubing Connector	Box/50
H749700271801	Male Luer Lock to Rotating Adaptor Connector	Box/25

■ STANDARD CARDIOVASCULAR MANIFOLD KITS

UPN	Manifold Style	Units
-----	----------------	-------

Standard Angiographic Kit with NAMIC Manifold

H965913013011	Three-Valve Manifold with Ports on Right and OFF Handles	Box/10
H965913013031	Three-Valve Manifold with Ports on Right and ON Handles	Box/10

Each Kit Contains: Specified Manifold, 182 cm (72") Chambered IV Spike with Filter; 182 cm (72") Vented IV Spike; 122 cm (48") Pressure Monitoring Line

Standard Angiographic Kit with PERCEPTOR™ NAMIC Manifold

H965913013071	Three-Valve PERCEPTOR Manifold with Ports on Right and OFF Handles	Box/10
H965913013081	Three-Valve PERCEPTOR Manifold with Ports on Right and ON Handles	Box/10

Each Kit Contains: Specified Manifold, 182 cm (72") Chambered IV Spike with Filter; 182 cm (72") Vented IV Spike

■ STANDARD RIGHT HEART KITS

UPN	Transducer Mount	Cable Length	Units
H965700300211	Stopcock End Port	122 cm (48")	Box/20
H965700300201	Stopcock Side Port	122 cm (48")	Box/20

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

IMPLANTABLE PORTS

■ VAXCEL™ CHEST PORTS

UPN	Order Number	Description	Units
M001453030	45-303	Mini/T/PU/6/1.1/1.9/63	Each
M001453050	45-305	Mini/T/PU/7/1.3/2.2/63	Each
M001453100	45-310	Mini/T/S/8/1.5/2.6/63	Each
M001453150	45-315	Standard/T/PU/9/1.8/2.8/63	Each
M001453200	45-320	Standard/T/S/8/1.5/2.6/63	Each
M001453400	45-340	Standard/PS/S/8/1.5/2.6/63	Each
M001453600	45-360	Standard/PS/PU/9/1.8/2.8/63	Each

Key: Port Type/Port Material/Catheter Material/Catheter Size (F)/Catheter I.D. (mm)/Catheter O.D. (mm)/Catheter Length (cm)

PS = Polysulfone PU = Polyurethane T = Titanium S = Silicone

Each Kit Contains: Vaxcel Implantable Port with Detached Thin Walled Catheter, 63 cm Length; One Twist-On Locking Collar Connector; 18 Gauge, 7 cm (2.75") Introducer Needle; 1.01 mm (0.038") J-Tip Guidewire with Tip Straightener, 50 cm Length; Peelable Introducer/Dilator Set; Tunneler; 17 Gauge Blunt Needle; 12 mL Slip Lock Syringe; 12 mL Luer Lock Syringe; 22 Gauge, 2.54 cm (1") Straight Non-Coring Needle; 22 Gauge, 2.54 cm (1") 90° Non-Coring Needle.

■ VAXCEL MICRO PORTS

UPN	Order Number	Description	Units
M001453170	45-317	Micro/PS/PU/6/1.1/1.9/75	Each
M001453180	45-318	Micro Kit/PS/PU/6/1.1/1.9/75	Each

Key: Port Type/Port Material/Catheter Material/Catheter Size (F)/Catheter I.D. (mm)/Catheter O.D. (mm)/Catheter Length (cm)

PS = Polysulfone PU = Polyurethane

Each System Contains: Vaxcel Micro Port Device with Detached Thin Walled Catheter.

Each Kit Contains: Vaxcel Micro Port Device with Detached Thin Walled Catheter, 75 cm Length; 22 Gauge, 2.54 cm (1") Straight Non-Coring Needle; 20 Gauge, 1.3 cm (0.5") Blunt Needle; 21 Gauge, 7 cm (2.75") Entry Needle; 4.57 mm (0.18") Mandrel Guidewire with Flexible Radiopaque Tip, 60 cm Length; Introducer Sheath (Peelable Sheath with 0.51 mm (0.018") Compatible Dilator).

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

XCELA™ PICCS WITH PASV™ VALVE TECHNOLOGY

■ CATHETER KITS

UPN	Order Number	Description	Units
H965457010	45-701	Single, 3 F, 20	Each
H965457110	45-711	Single, 4 F, 17	Each
H965457310	45-731	Dual, 5 F, 17.5/17.5	Each
H965457410	45-741	Triple, 6 F, 16.5/19/19	Each

Key: Number of Lumens/Catheter OD (F)/Catheter ID (Gauge)

Each Kit Contains: Catheter; 92 cm Tape Measure; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; StatLock™ Catheter Stabilization Device; and End Cap(s).

■ MST KITS WITH 70 CM WIRE

UPN	Order Number	Description	Units
H965457020	45-702	Single, 3 F, 20	Each
H965457120	45-712	Single, 4 F, 17	Each
H965457170	45-717	Single, 5 F, 15.5	Each
H965457320	45-732	Dual, 5 F, 17.5/17.5	Each
H965457370	45-737	Dual, 6 F, 16.5/16.5	Each
H965457420	45-742	Triple, 6 F, 16.5/19/19	Each

Key: Number of Lumens/Catheter OD (F)/Catheter ID (Gauge)

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 92 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 70 cm Hydrophilic-Coated Guidewire with Floppy Radiopaque Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

■ IR KITS WITH 145 CM WIRE

UPN	Order Number	Description	Units
H965457130	45-713	Single, 4 F, 17	Each
H965457180	45-718	Single, 5 F, 15.5	Each
H965457330	45-733	Dual, 5 F, 17.5/17.5	Each
H965457380	45-738	Dual, 6 F, 16.5/16.5	Each
H965457430	45-743	Triple, 6 F, 16.5/19/19	Each

Key: Number of Lumens/Catheter OD (F)/Catheter ID (Gauge)

Each Kit Contains: Catheter; Hydrophilic-Coated Stiffening Wire; Stiffening Wire Guide/Flush Assembly; 92 cm Tape Measure; 10 mL Luer Lock Syringe(s); 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 21 Gauge, 7 cm (2.75") Standard Introducer Needle with Echogenic Tip; 145 cm Hydrophilic-Coated Guidewire with Floppy Radiopaque Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; StatLock Catheter Securement Device; and End Cap(s).

Not all products are available in all countries. Please contact your local representative for product availability in your area.

VASCULAR ACCESS

VAXCEL™ PICCS

■ MST KITS WITH 60 CM WIRE

UPN	Order Number	Description	Units
M001454410	45-441	4 F, Single Lumen, with Clamp	Each
M001454420	45-442	4 F, Single Lumen, no Clamp	Each
M001454430	45-443	5 F, Single Lumen, with Clamp	Each
M001454440	45-444	5 F, Single Lumen, no Clamp	Each
M001454450	45-445	5 F, Dual Lumen, with Clamps	Each
M001454460	45-446	6 F, Dual Lumen, with Clamps	Each

Each Kit Contains: Catheter; Stiffening Wire with Guide; 60 cm Tape Measure; 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 60 cm Guidewire with Floppy Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; 10 mL Syringe; and End Cap(s).

■ IR KITS WITH 130 CM WIRE

UPN	Order Number	Description	Units
M001454300	45-430	4 F, Single Lumen, with Clamp	Each
M001454310	45-431	4 F, Single Lumen, no Clamp	Each
M001454320	45-432	5 F, Single Lumen, with Clamp	Each
M001454330	45-433	5 F, Single Lumen, no Clamp	Each
M001454130	45-413	5 F, Dual Lumen, with Clamps	Each
M001454260	45-426	6 F, Dual Lumen, with Clamps	Each

Each Kit Contains: Catheter; 60 cm Tape Measure; 21 Gauge, 7 cm (2.75") Safety Introducer Needle with Echogenic Tip; 130 cm Guidewire with Floppy Platinum Tip; Safety Scalpel; 10 cm Peelable Sheath/Dilator; 10 mL Syringe; and End Cap(s).

DIALYSIS CATHETER ACCESSORIES

■ DIALYSIS ACCESSORIES

UPN	Order Number	Description	Units
M001455831	45-583	Vaxcel Plus Dialysis Catheter Tunneler/Metal	Box/10
M001455841	45-584	Vaxcel Plus Dialysis Catheter Tunneler/Plastic	Box/10

Key: Tunneler Type/Tunneler Material

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PERCUTANEOUS DRAINAGE

EXODUS™ DRAINAGE CATHETERS

■ MULTIPURPOSE DRAINAGE CATHETERS

UPN	Description	Size (F)	Length (cm)	RO Marker	Units
H965100011	NEW J-Tip	8	20	No	Box/5
H965100021	NEW Standard Pigtail	8	25	No	Box/5
H965100031	NEW Tight Pigtail	8	25	No	Box/5
H965100081	NEW J-Tip	10	20	No	Box/5
H965100101	NEW Standard Pigtail	10	25	No	Box/5
H965100111	NEW Tight Pigtail	10	25	No	Box/5

Each System Contains: Trocar, Metal and Plastic Cannula

■ NEPHROSTOMY DRAINAGE CATHETERS

UPN	Description	Size (F)	Length (cm)	RO Marker	Units
H965100071	NEW Tight Pigtail	8	25	No	Box/5
H965100041	NEW Standard Pigtail	8	25	No	Box/5
H965100151	NEW Standard Pigtail	10	25	No	Box/5
H965100121	NEW Tight Pigtail	10	25	No	Box/5

Each System Contains: Trocar, Metal and Plastic Cannula

NAMIC™ FLUID MANAGEMENT

■ CLOSED FLUID SYSTEMS FOR ANGIOGRAPHY

UPN	Description	Units
Abscess Drainage		
H965905000501	Palestrant Irrigation and Drainage Set	Box/5
Closed Fluid Systems Accessories		
H965640460071	50 mL Contrast Bottle Holster (non-sterile)	Box/50

■ ANGIOGRAPHIC CORE WIRES

UPN	Tip Shape	Coating	Size	Length	Units
Fixed Core, J-Tip					
H965960003011	3 mm J	PTFE	0.94 mm (0.035")	150 cm	Box/5
Movable Core, J-Tip					
H965970005081	3 mm J	PTFE	1.01 mm (0.038")	175 cm	Box/10

■ TEMPORARY NEEDLE HOLDER

UPN	Description	Units
H749905100011	Temporary Needle Holder	Box/20

■ WASTE CONTAINER

UPN	Description	Units
H749905100021	Off-Line Waste Container 500 mL Capacity	Box/20

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

H74902470012.....Torque Devices.....	24	H965457320.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Dual.....	27
H74904487202.....Torque Devices.....	24	H965457330.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Dual.....	27
H74904490202.....Guidewire Insertion Tools.....	24	H965457370.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Dual.....	27
H74904494102.....Essentials™ Kit.....	24	H965457380.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Dual.....	27
H749640420490.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965457410.....Xcela PICCs with PASV Valve Technology - Catheter Kits, Triple.....	27
H749640420500.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17	H965457420.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Triple.....	27
H749640420510.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	21	H965457430.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Triple.....	27
H749640420530.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	20	H965557110.....Xcela PICCs with PASV Valve Technology - Catheter Kits, Single.....	3
H749640420610.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965557120.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Single.....	3
H749700270901.....Angiographic Control Syringes, 8 mL Syringes, Thumb Ring with Finger Rings.....	23	H965557130.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Single.....	3
H749700271801.....Adaptors/Connectors.....	25	H965557170.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Single.....	3
H749700406110.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	20, 21	H965557180.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Single.....	3
H749904004351.....Contrast Management Systems, Squeeze Contrast Controller™.....	10	H965557310.....Xcela PICCs with PASV Valve Technology - Catheter Kits, Dual.....	3
H749905100011.....Temporary Needle Holder.....	29	H965557320.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Dual.....	3
H749905100021.....Waste Container.....	29	H965557330.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Dual.....	3
H749910516021.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9	H965557380.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Dual.....	3
H749910516031.....Contrast Injection Lines - flexCIL High Pressure Contrast Injection Lines.....	9	H965640000101.....Contrast Management Systems, Contrast Management Tubing Assembly.....	10
H749910517221.....Contrast Injection Lines - flexCIL High Pressure Contrast Injection Lines.....	9	H965640001221.....Y-Adaptors.....	24
H749910517231.....Contrast Injection Lines - flexCIL High Pressure Contrast Injection Lines.....	9	H965640001231.....Y-Adaptors.....	24
H749913102001.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640001241.....Y-Adaptors.....	24
H749913102101.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640001271.....Y-Adaptors.....	24
H749913102201.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640001530.....Pressure Monitoring Accessories for the PERCEPTOR™ Disposable Transducers.....	15
H749913102301.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640002221.....Y-Adaptor Kits.....	24
H749913103001.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640002231.....Y-Adaptor Kits.....	24
H749913103101.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640002241.....Y-Adaptor Kits.....	24
H749913103201.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640002271.....Y-Adaptor Kits.....	24
H749913103301.....Closed Fluid Waste Management Systems - Standard Peripheral Vascular Kits.....	8	H965640002700.....Pressure Monitoring accessories for Monitoring Manifolds.....	15
H749990000691.....Fluid Delivery Systems, With Drip Chamber.....	11	H965640003520.....Pressure Monitoring Accessories for COMPENSATOR™ Manifolds.....	15
H749990000701.....Fluid Delivery Systems, With Drip Chamber.....	11	H965640009251.....Closed Fluid Systems for Angiography - ANGIO-SAC™ Collection System.....	8
H965100011.....Exodus™ Drainage Catheters - Multipurpose Drainage Catheters, J-Tip.....	29	H965640009341.....Closed Fluid Systems for Angiography - Protection Station™.....	8
H965100021.....Exodus Drainage Catheters - Multipurpose Drainage Catheters, Standard Pigtail.....	29	H965640009351.....Closed Fluid Systems for Angiography - Protection Station Plus.....	8
H965100031.....Exodus Drainage Catheters - Multipurpose Drainage Catheters, Tight Pigtail.....	29	H965640009361.....Closed Fluid Systems for Angiography - Protection Station.....	8
H965100041.....Exodus Drainage Catheters - Nephrostomy Drainage Catheters, Standard Pigtail.....	29	H965640009441.....Closed Fluid Systems for Angiography - Protection Station.....	8
H965100071.....Exodus™ Drainage Catheters - Nephrostomy Drainage Catheters, Tight Pigtail.....	29	H965640009451.....Closed Fluid Systems for Angiography - Protection Station Plus with Drape Clip.....	8
H965100081.....Exodus Drainage Catheters - Multipurpose Drainage Catheters, J-Tip.....	29	H965640009551.....Closed Fluid Systems for Angiography - Protection Station Plus with In-Line Contrast Management System.....	8
H965100101.....Exodus Drainage Catheters - Multipurpose Drainage Catheters, Standard Pigtail.....	29	H965640009551.....Contrast Management Systems, Protection Station™ Plus System with In-Line Contrast Management System.....	10
H965100111.....Exodus Drainage Catheters - Multipurpose Drainage Catheters, Tight Pigtail.....	29	H965640009840.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965100121.....Exodus Drainage Catheters - Nephrostomy Drainage Catheters, Tight Pigtail.....	29	H965640009850.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17
H965100151.....Exodus Drainage Catheters - Nephrostomy Drainage Catheters, Standard Pigtail.....	29	H965640009880.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16
H965454350.....Vaxcel™ PICCs with PASV™ Valve Technology - Catheter Kits, Single Lumen.....	4	H965640009890.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965454360.....Vaxcel™ PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Single Lumen.....	4	H965640009900.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19
H965457010.....Xcela™ PICCs with Pasv™ Valve Technology - Catheter Kits, Single.....	27	H965640009970.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965457020.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Single.....	27	H965640009980.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	21
H965457110.....Xcela PICCs with PASV Valve Technology - Catheter Kits, Single.....	27	H965640009990.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17, 18
H965457120.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Single.....	27		
H965457130.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Single.....	27		
H965457170.....Xcela PICCs with PASV Valve Technology - MST Kits with 70 cm Wire, Single.....	27		
H965457180.....Xcela PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Single.....	27		
H965457310.....Xcela PICCs with PASV Valve Technology - Catheter Kits, Dual.....	27		

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

H965640019820.....Pressure Monitoring Accessories for COMPENSATOR™ Manifolds.....	15	H965640420280.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965640371071.....PERCEPTOR™ Pressure Monitoring Manifolds, One-Valve.....	12	H965640420290.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16, 18
H965640382001.....NAMIC™ Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965640420330.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17
H965640382021.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965640420340.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17
H965640383011.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965640420350.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17
H965640383031.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965640420360.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965640384021.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965640420400.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19
H965640384041.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965640420430.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17
H965640393071.....PERCEPTOR™ Pressure Monitoring Manifolds, Three -Valve.....	12	H965640420460.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965640393081.....PERCEPTOR™ Pressure Monitoring Manifolds, Three -Valve.....	12	H965640420470.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 61 cm (2 Foot) Length.....	21
H965640406330.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19	H965640420480.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	19
H965640420030.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	19	H965640420540.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	19
H965640420040.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965640459800.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18
H965640420050.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965640460071.....Closed Fluid Systems for Angiography - Closed Fluid Systems Accessories.....	29
H965640420060.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965700150001.....Stopcocks, Three-Way.....	22
H965640420090.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17, 18	H965700150011.....Stopcocks, Three-Way.....	22
H965640420100.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965700150021.....Stopcocks, Three-Way.....	22
H965640420110.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 610 cm (20 Foot) Length.....	16	H965700150031.....Stopcocks, Three-Way.....	22
H965640420120.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17	H965700150101.....Stopcocks, Four-Way.....	22
H965640420140.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16	H965700150111.....Stopcocks, Four-Way.....	22
H965640420150.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16	H965700150121.....Stopcocks, Four-Way.....	22
H965640420160.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17	H965700150131.....Stopcocks, Four-Way.....	22
H965640420170.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16	H965700150151.....Stopcocks, One-Way.....	22
H965640420180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	18	H965700150161.....Stopcocks, One-Way.....	22
H965640420180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19, 21	H965700153121.....Extension Sets with NAMIC™ Stopcock, Three-Way Stopcock.....	22
H965640420190.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17	H965700153201.....Extension Sets with NAMIC Stopcock, Three-Way Stopcock.....	22
H965640420200.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17	H965700153331.....Extension Sets with NAMIC Stopcock, Three-Way Stopcock.....	22
H965640420210.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17, 18	H965700154121.....Extension Sets with NAMIC Stopcock, Four-Way Stopcock.....	22
H965640420220.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	17	H965700154201.....Extension Sets with NAMIC Stopcock, Four-Way Stopcock.....	22
H965640420230.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	19	H965700154331.....Extension Sets with NAMIC Stopcock, Four-Way Stopcock.....	22
H965640420250.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16	H965700300131.....Disposable Transducers PERCEPTOR™ DT.....	15
H965640420260.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16	H965700300141.....Disposable Transducers PERCEPTOR™ DT.....	15
		H965700300201.....Standard Right Heart Kits.....	25
		H965700300211.....Standard Right Heart Kits.....	25
		H965700300510.....Pressure Monitoring Accessories for COMPENSATOR™ Manifolds.....	15
		H965700300510.....Pressure Monitoring Accessories for the PERCEPTOR™ Disposable Transducers.....	15
		H965700300530.....Pressure Monitoring Accessories for the PERCEPTOR™ Disposable Transducers.....	15
		H965700300540.....Pressure Monitoring Accessories for the PERCEPTOR™ Disposable Transducers.....	15
		H965700301520.....Pressure Monitoring Accessories for COMPENSATOR™ Manifolds.....	15
		H965700301520.....Pressure Monitoring Accessories for the PERCEPTOR™ Disposable Transducers.....	15
		H965700350021.....Stopcocks, Three-Way.....	22
		H965700350031.....Stopcocks, Three-Way.....	22

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

H965700350081.....Stopcocks, Three-Way.....	22	H965700384071.....PERCEPTOR™ Pressure Monitoring Manifolds, Four -Valve.....	12
H965700350091.....Stopcocks, Three-Way.....	22	H965700384081.....PERCEPTOR™ Pressure Monitoring Manifolds, Four -Valve.....	12
H965700350121.....Stopcocks, Four-Way.....	22	H965700384141.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700350131.....Stopcocks, Four-Way.....	22	H965700384171.....PERCEPTOR™ Pressure Monitoring Manifolds, Four -Valve.....	12
H965700360011.....Disposable Transducers PERCEPTOR™ DT.....	15	H965700392001.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700361481.....Arterial Sets.....	16	H965700392021.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700361601.....Arterial Sets.....	16	H965700392121.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700362001.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700393011.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700362021.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700393031.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700363011.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700393131.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700363031.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700393521.....Traditional Manifolds for Pressure Monitoring (all female ports).....	14
H965700372001.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700393531.....Traditional Manifolds for Pressure Monitoring (all female ports).....	14
H965700372021.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700393541.....Traditional Manifolds for Pressure Monitoring (all female ports).....	14
H965700372121.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700393551.....Traditional Manifolds for Pressure Monitoring (all female ports).....	14
H965700373011.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700394021.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700373031.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700394041.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700373131.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700394141.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13
H965700374021.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700406120.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...19	
H965700374041.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700406130.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19, 20
H965700374141.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, High Pressure (500S).....	13	H965700406140.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700381071.....PERCEPTOR™ Pressure Monitoring Manifolds, One-Valve.....	12	H965700406150.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700381081.....PERCEPTOR™ Pressure Monitoring Manifolds, One-Valve.....	12	H965700406160.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700382001.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406170.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	20, 21
H965700382021.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19, 20, 21
H965700382071.....PERCEPTOR™ Pressure Monitoring Manifolds, Two -Valve.....	12	H965700406190.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700382081.....PERCEPTOR™ Pressure Monitoring Manifolds, Two -Valve.....	12	H965700406200.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...19	
H965700382121.....NAMIC Angiographic Manifolds, Two-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406210.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	20, 21
H965700382171.....PERCEPTOR™ Pressure Monitoring Manifolds, Two -Valve.....	12	H965700406220.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	20, 21
H965700383011.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406230.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...19	
H965700383031.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406240.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700383071.....PERCEPTOR™ Pressure Monitoring Manifolds, Three -Valve.....	12	H965700406250.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700383081.....PERCEPTOR™ Pressure Monitoring Manifolds, Three -Valve.....	12	H965700406260.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19, 21
H965700383131.....NAMIC Angiographic Manifolds, Three-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406270.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...19	
H965700383171.....PERCEPTOR™ Pressure Monitoring Manifolds, Three -Valve.....	12	H965700406280.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...20	
H965700384021.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406290.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	19, 20
H965700384041.....NAMIC Angiographic Manifolds, Four-Valve with Rotating Adaptor, Medium Pressure (200S).....	13	H965700406300.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length.....	20, 21
		H965700406320.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 183 cm (6 Foot) Length...19	
		H965700412010.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length.....	16, 18, 19

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

H965700412020.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700584171.....COMPENSATOR™ Pressure Monitoring Manifolds, Four-Valve	11
H965700412030.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17, 18	H965700750231.....Angiographic Control Syringes, 20 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412040.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	18	H965700750271.....Angiographic Control Syringes, 20 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412050.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	18	H965700850031.....Angiographic Control Syringes, 10 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412060.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	18	H965700850041.....Angiographic Control Syringes, 10 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412070.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	16, 18	H965700850051.....Angiographic Control Syringes, 10 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412080.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	16, 17, 18	H965700850071.....Angiographic Control Syringes, 10 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412090.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	19	H965700851071.....Angiographic Control Syringes, 10 mL Syringes, Thumb Ring with Finger Grips	23
H965700412100.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700870031.....Angiographic Control Syringes, 12 ml Syringes, Thumb Ring with Finger Rings	23
H965700412110.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	16, 17, 19	H965700870071.....Angiographic Control Syringes, 12 ml Syringes, Thumb Ring with Finger Rings	23
H965700412120.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	16, 18	H965700871071.....Angiographic Control Syringes, 12 mL Syringes, Thumb Ring with Finger Grips	23
H965700412130.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700880031.....Angiographic Control Syringes, 12 ml Syringes, Thumb Ring with Finger Rings	23
H965700412140.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700880071.....Angiographic Control Syringes, 12 ml Syringes, Thumb Ring with Finger Rings	23
H965700412150.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	18	H965700950031.....Angiographic Control Syringes, 10 mL Syringes, Palm Pad with Finger Rings	23
H965700412160.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	16, 17	H965700950071.....Angiographic Control Syringes, 10 mL Syringes, Palm Pad with Finger Rings	23
H965700412170.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700951071.....Angiographic Control Syringes, 8 mL Syringes, Thumb Ring with Finger Rings.....	23
H965700412180.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	19	H965700970031.....Angiographic Control Syringes, 12 mL Syringes, Palm Pad with Finger Rings	23
H965700412190.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	18	H965700970071.....Angiographic Control Syringes, 12 mL Syringes, Palm Pad with Finger Rings	23
H965700412200.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	16, 18	H965700971071.....Angiographic Control Syringes, 12 mL Syringes, Palm Pad with Finger Grips.....	23
H965700412220.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700980031.....Angiographic Control Syringes, 12 mL Syringes, Palm Pad with Finger Rings	23
H965700412230.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 366 cm (12 Foot) Length	17	H965700980071.....Angiographic Control Syringes, 12 mL Syringes, Palm Pad with Finger Rings	23
H965700412240.....Reusable Pressure Monitoring Cables (Device-to-Monitor), 305 cm (10 Foot) Length	19	H965700981071.....Angiographic Control Syringes, 12 mL Syringes, Palm Pad with Finger Grips.....	23
H965700550031.....Stopcocks, Three-Way.....	22	H965704000521.....Pressure Monitoring Standard Pole Mount Kits	15
H965700550081.....Stopcocks, Three-Way.....	22	H965704000551.....Pressure Monitoring Standard Pole Mount Kits	15
H965700550091.....Stopcocks, Three-Way.....	22	H965704000571.....Pressure Monitoring Standard Pole Mount Kits	15
H965700550171.....Stopcocks, One-Way.....	22	H965705051031.....Radiology Control Syringes	23
H965700581071.....COMPENSATOR™ Pressure Monitoring Manifolds, One-Valve	11	H965705062031.....Radiology Control Syringes	23
H965700581081.....COMPENSATOR™ Pressure Monitoring Manifolds, One-Valve	11	H965904000391.....Contrast Management Systems, Contrast Controller Spike Assembly	10
H965700582071.....COMPENSATOR™ Pressure Monitoring Manifolds, Two-Valve	11	H965904008391.....Contrast Management Systems, Contrast Controller Spike Assembly	10
H965700582081.....COMPENSATOR™ Pressure Monitoring Manifolds, Two-Valve	11	H965905000181.....Closed Fluid Systems for Angiography - ANGIO-SAC™ Collection System	8
H965700582171.....COMPENSATOR™ Pressure Monitoring Manifolds, Two-Valve	11	H965905000281.....Closed Fluid Systems for Angiography - ANGIO-SAC™ Collection System	8
H965700583071.....COMPENSATOR™ Pressure Monitoring Manifolds, Three Valve.....	11	H965905000401.....Closed Fluid Systems for Angiography - Abscess Drainage, Abscess Evacuation Set.....	8
H965700583081.....COMPENSATOR™ Pressure Monitoring Manifolds, Three Valve.....	11	H965905000501.....Closed Fluid Systems for Angiography - Abscess Drainage, Palestrant Irrigation and Drainage Set	29
H965700583171.....COMPENSATOR™ Pressure Monitoring Manifolds, Three Valve.....	11	H965905000601.....Closed Fluid Systems for Angiography - Filling Station	8
H965700584071.....COMPENSATOR™ Pressure Monitoring Manifolds, Four-Valve	11	H965905000651.....Closed Fluid Systems for Angiography - Filling Station Plus 183 cm (72"), Vented	8
H965700584081.....COMPENSATOR™ Pressure Monitoring Manifolds, Four-Valve	11	H965905000701.....Fluid Delivery Systems, Miscellaneous Large Bore Fluid Delivery Sets.....	11
		H965907010621.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907011221.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907012421.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907013621.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907014821.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907016021.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907017221.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14
		H965907018421.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock	14

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

H965907019621.....Pressure Monitoring Lines, Adult High Frequency, Female Luer Lock to Male Luer Lock.....	14	H965910314831.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9
H965907021221.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965910511021.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9
H965907022421.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965910511031.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9
H965907023621.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965910512021.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9
H965907024821.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965910512031.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9
H965907026021.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965910514821.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9
H965907027221.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965910514831.....Contrast Injection Lines - flexCIL™ High Pressure Contrast Injection Lines.....	9
H965907028421.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965913000011.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907029621.....Pressure Monitoring Lines, Adult High Frequency, Male Luer Lock to Male Luer Lock.....	14	H965913000041.....Fluid Delivery Systems, Without Drip Chamber.....	11
H965907030501.....Arterial Extension Set with Stopcock.....	22	H965913000051.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907030621.....Arterial Extension Set with Stopcock.....	22	H965913000071.....Fluid Delivery Systems, Without Drip Chamber.....	11
H965907030921.....Arterial Extension Set with Stopcock.....	22	H965913000091.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907031221.....Arterial Extension Set with Stopcock.....	22	H965913000111.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907051011.....Adaptors/Connectors.....	25	H965913000121.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907052021.....Adaptors/Connectors.....	25	H965913000131.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907110621.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock.....	15	H965913000201.....Fluid Delivery Systems, Contrast Removal Valve.....	11
H965907111221.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock.....	15	H965913000211.....Fluid Delivery Systems, Miscellaneous Large Bore Fluid Delivery Sets.....	11
H965907112421.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock.....	15	H965913000261.....Fluid Delivery Systems, Without Drip Chamber.....	11
H965907113621.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock.....	15	H965913000351.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907114821.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock.....	15	H965913000521.....Fluid Delivery Systems, With Drip Chamber.....	11
H965907117221.....Pressure Monitoring Lines, Pediatric, Female Luer to Male Luer Lock.....	15	H965913013011.....Standard Cardiovascular manifold Kits, Standard Angiographic Kit with NAMIC Manifold.....	25
H965907121221.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock.....	15	H965913013031.....Standard Cardiovascular manifold Kits, Standard Angiographic Kit with NAMIC Manifold.....	25
H965907122421.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock.....	15	H965913013071.....Standard Cardiovascular manifold Kits, Standard Angiographic Kit with PERCEPTOR™ NAMIC Manifold.....	25
H965907123621.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock.....	15	H965913013081.....Standard Cardiovascular manifold Kits, Standard Angiographic Kit with PERCEPTOR™ NAMIC Manifold.....	25
H965907124821.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock.....	15	H965914000211.....Y-Adaptors.....	24
H965907127221.....Pressure Monitoring Lines, Pediatric, Male Luer Lock to Male Luer Lock.....	15	H965914000231.....Y-Adaptors.....	24
H965910011031.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914000251.....Y-Adaptors.....	24
H965910012031.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914000281.....Y-Adaptors.....	24
H965910013031.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914000311.....Tri-Adaptors.....	24
H965910014831.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914000351.....Tri-Adaptors.....	24
H965910111021.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914002211.....Y-Adaptor Kits.....	24
H965910112021.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914002251.....Y-Adaptor Kits.....	24
H965910113021.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914002281.....Y-Adaptor Kits.....	24
H965910114821.....Contrast Injection Lines - HPCIL High Pressure Contrast Injection Lines.....	9	H965914002311.....Tri-Adaptor Kits.....	25
H965910211021.....Contrast Injection Lines - LPCIL Low Pressure Contrast Injection Lines.....	9	H965914002351.....Tri-Adaptor Kits.....	25
H965910212021.....Contrast Injection Lines - LPCIL Low Pressure Contrast Injection Lines.....	9	H965914003001.....Torque Devices.....	24
H965910213021.....Contrast Injection Lines - LPCIL Low Pressure Contrast Injection Lines.....	9	H965914004001.....Guidewire Insertion Tools.....	24
H965910214821.....Contrast Injection Lines - LPCIL Low Pressure Contrast Injection Lines.....	9	H965940009041.....Closed Fluid Systems for Angiography - Protection Station.....	8
H965910311021.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965940009521.....Closed Fluid Systems for Angiography - Protection Station.....	8
H965910311031.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965940009541.....Closed Fluid Systems for Angiography - Protection Station.....	8
H965910312021.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965960003011.....Angiographic Core Wires, Fixed Core, J-Tip.....	29
H965910312031.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965970001011.....Angiographic Core Wires, Fixed Core, Straight.....	10
H965910313021.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965970001031.....Angiographic Core Wires, Fixed Core, Straight.....	10
H965910313031.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965970001051.....Angiographic Core Wires, Fixed Core, Straight.....	10
H965910314821.....Contrast Injection Lines - claraCIL™ High Pressure Contrast Injection Lines.....	9	H965970001061.....Angiographic Core Wires, Fixed Core, Straight.....	10
		H965970001071.....Angiographic Core Wires, Fixed Core, Straight.....	10
		H965970001081.....Angiographic Core Wires, Fixed Core, Straight.....	10

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

H965970001091.....Angiographic Core Wires, Fixed Core, Straight.....	10	M001454560.....Vaxcel PICCs with PASV Valve Technology - Peelable Introducer Kits, Single Lumen.....	4
H965970001121.....Angiographic Core Wires, Fixed Core, Straight.....	10	M001454570.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Single Lumen.....	4
H965970001131.....Angiographic Core Wires, Fixed Core, Straight.....	10	M001454580.....Vaxcel PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Single Lumen.....	4
H965970002011.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454590.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Single Lumen.....	4
H965970002021.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454600.....Vaxcel PICCs with PASV Valve Technology - Catheter Kits, Single Lumen.....	4
H965970002051.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454610.....Vaxcel PICCs with PASV Valve Technology - Peelable Introducer Kits, Single Lumen.....	4
H965970002081.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454620.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Single Lumen.....	4
H965970002101.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454630.....Vaxcel PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Single Lumen.....	4
H965970002111.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454640.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Single Lumen.....	4
H965970002161.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454700.....Vaxcel PICCs with PASV Valve Technology - Catheter Kits, Double Lumen.....	4
H965970002171.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454710.....Vaxcel PICCs with PASV Valve Technology - Peelable Introducer Kits, Double Lumen.....	4
H965970002221.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454720.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Dual Lumen.....	4
H965970002321.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454730.....Vaxcel PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Dual Lumen.....	4
H965970002351.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454740.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Dual Lumen.....	4
H965970003071.....Angiographic Core Wires, Fixed Core, J-Tip.....	10	M001454750.....Vaxcel PICCs with PASV Valve Technology - Catheter Kits, Double Lumen.....	4
H965970004011.....Angiographic Core Wires, Fixed Core, Exchange.....	10	M001454770.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Dual Lumen.....	4
H965970004021.....Angiographic Core Wires, Fixed Core, Exchange.....	10	M001454780.....Vaxcel PICCs with PASV Valve Technology - IR Kits with 145 cm Wire, Dual Lumen.....	4
H965970004051.....Angiographic Core Wires, Fixed Core, Exchange.....	10	M001454790.....Vaxcel PICCs with PASV Valve Technology - MST Kits with 30 cm Wire, Dual Lumen.....	4
H965970005011.....Angiographic Core Wires, Movable Core, J-Tip.....	10	M001455400.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Metal.....	6
H965970005031.....Angiographic Core Wires, Movable Core, J-Tip.....	10	M001455410.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Plastic.....	6
H965970005071.....Angiographic Core Wires, Movable Core, J-Tip.....	10	M001455420.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Metal.....	6
H965970005081.....Angiographic Core Wires, Movable Core, J-Tip.....	29	M001455430.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Plastic.....	6
H965970006011.....Angiographic Core Wires, Fixed Core, Straight.....	10	M001455440.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Metal.....	6
M001452130.....Vaxcel™ Implantable Chest Ports with PASV™ Valve Technology - Mini.....	2	M001455450.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Plastic.....	6
M001452150.....Vaxcel Implantable Chest Ports with PASV Valve Technology - Mini.....	2	M001455460.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Metal.....	6
M001452200.....Vaxcel Implantable Chest Ports with PASV Valve Technology - Mini.....	2	M001455470.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Plastic.....	6
M001453030.....Vaxcel Chest Ports - Mini.....	26	M001455480.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Metal.....	6
M001453050.....Vaxcel Chest Ports - Mini.....	26	M001455490.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Plastic.....	6
M001453100.....Vaxcel™ Chest Ports - Mini.....	26	M001455500.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Metal.....	6
M001453150.....Vaxcel Chest Ports - Standard.....	26	M001455510.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Plastic.....	6
M001453170.....Vaxcel Micro Ports.....	26	M001455520.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Metal.....	6
M001453180.....Vaxcel Micro Ports (Kit).....	26	M001455530.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Plastic.....	6
M001453200.....Vaxcel Chest Ports - Standard.....	26	M001455540.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Metal.....	6
M001453400.....Vaxcel Chest Ports - Standard.....	26	M001455550.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Plastic.....	6
M001453600.....Vaxcel Chest Ports - Standard.....	26	M001455560.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Metal.....	6
M001453620.....Vaxcel Implantable Chest Ports with PASV Valve Technology - Standard.....	2	M001455570.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Catheter - Plastic.....	6
M001453640.....Vaxcel Implantable Chest Ports with PASV Valve Technology - Standard.....	2	M001455580.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Metal.....	6
M001453660.....Vaxcel Implantable Chest Ports with PASV Valve Technology - Standard.....	2	M001455590.....Dialysis Catheters - Vaxcel Plus Chronic Dialysis Kit - Plastic.....	6
M001453680.....Vaxcel Implantable Chest Ports with PASV Valve Technology - Standard.....	2	M001455831.....Dialysis Accessories - Vaxcel Plus Dialysis Catheter, Tunneler/Metal.....	28
M001454130.....Vaxcel PICCS™ - IR Kits with 130 cm Wire - Dual Lumen with Clamps.....	28	M001455841.....Dialysis Accessories - Vaxcel Plus Dialysis Catheter, Tunneler/Plastic.....	28
M001454260.....Vaxcel PICCS - IR Kits with 130 cm Wire - Dual Lumen with Clamps.....	28	M001456510.....Xcela™ Power Injectable PICCs - Catheter Kits, Single Lumen.....	5
M001454300.....Vaxcel PICCS - IR Kits with 130 cm Wire - Single Lumen with Clamp.....	28	M001456520.....Xcela Power Injectable PICCs - MST Kits with 60 cm Wire, Single Lumen.....	5
M001454310.....Vaxcel PICCS - IR Kits with 130 cm Wire - Single Lumen no Clamp.....	28	M001456530.....Xcela Power Injectable PICCs - IR Kits with 145 cm Wire, Single Lumen.....	5
M001454320.....Vaxcel PICCS - IR Kits with 130 cm Wire - Single Lumen with Clamp.....	28		
M001454330.....Vaxcel PICCS - IR Kits with 130 cm Wire - Single Lumen no Clamp.....	28		
M001454410.....Vaxcel PICCS - MST Kits with 60 cm Wire - Single Lumen with Clamp.....	28		
M001454420.....Vaxcel PICCS - MST Kits with 60 cm Wire - Single Lumen no Clamp.....	28		
M001454430.....Vaxcel PICCS - MST Kits with 60 cm Wire - Single Lumen with Clamp.....	28		
M001454440.....Vaxcel PICCS - MST Kits with 60 cm Wire - Single Lumen no Clamp.....	28		
M001454450.....Vaxcel PICCS - MST Kits with 60 cm Wire - Dual Lumen with Clamps.....	28		
M001454460.....Vaxcel PICCS - MST Kits with 60 cm Wire - Dual Lumen with Clamps.....	28		
M001454550.....Vaxcel PICCs with PASV Valve Technology - Catheter Kits, Single Lumen.....	4		

Not all products are available in all countries. Please contact your local representative for product availability in your area.

PRODUCT CODE INDEX

M001456560.....Xcela Power Injectable PICCs - Catheter Kits, Single Lumen	5
M001456570.....Xcela Power Injectable PICCs - MST Kits with 60 cm Wire, Single Lumen	5
M001456580.....Xcela Power Injectable PICCs - IR Kits with 145 cm Wire, Single Lumen	5
M001456610.....Xcela Power Injectable PICCs - Catheter Kits, Dual Lumen	5
M001456620.....Xcela Power Injectable PICCs - MST Kits with 60 cm Wire, Dual Lumen	5
M001456630.....Xcela Power Injectable PICCs - IR Kits with 145 cm Wire, Dual Lumen	5
M001456660.....Xcela Power Injectable PICCs - Catheter Kits, Dual Lumen	5
M001456670.....Xcela Power Injectable PICCs - MST Kits with 60 cm Wire, Dual Lumen	5
M001456680.....Xcela Power Injectable PICCs - IR Kits with 145 cm Wire, Dual Lumen	5
M001456700.....Xcela Power Injectable PICCs - Catheter Kits, Dual Lumen	5
M001456710.....Xcela Power Injectable PICCs - MST Kits with 60 cm Wire, Dual Lumen	5
M001456720.....Xcela Power Injectable PICCs - IR Kits with 145 cm Wire, Dual Lumen	5
M001456750.....Xcela Power Injectable PICCs - Catheter Kits, Single Lumen	5
M001456760.....Xcela Power Injectable PICCs - MST Kits with 60 cm Wire, Single Lumen	5
M001456770.....Xcela Power Injectable PICCs - IR Kits with 145 cm Wire, Single Lumen	5
M001459801.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/4/SS/SS	7
M001459811.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/4.5/SS/P	7
M001459821.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/4.5/Nitinol/P	7
M001459841.....Vaxcel Mini Stick Vascular Entry Systems - Peelable Entry Kits, Peelable/5/SS/P	7
M001459851.....Vaxcel Mini Stick Vascular Entry Systems - Peelable Entry Kits, Peelable/6/SS/P	7
M001459861.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/4.5/SS/SS	7
M001459871.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/4/SS/P	7
M001459881.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/4/Nitinol/P	7
M001459891.....Vaxcel™ Mini Stick Vascular Entry Systems - Peelable Entry Kits, Peelable/4.5/Nitinol/P	7
M001459901.....Vaxcel Mini Stick Vascular Entry Systems - Peelable Entry Kits, Peelable/5/Nitinol/P	7
M001459911.....Vaxcel Mini Stick Vascular Entry Systems - Peelable Entry Kits, Peelable/6/Nitinol/P	7
M001459921.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/5/SS/SS	7
M001459931.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/5/SS/P	7
M001459941.....Vaxcel Mini Stick Vascular Entry Systems - Coaxial Entry Kits, Coaxial/5/Nitinol/P	7
M001MS3K1.....Insertion Kits - 3 F MST Insertion Kit	7
M001MS4K1.....Insertion Kits - 4.5 F MST Insertion Kit	7
M001MS5K1.....Insertion Kits - 5 F MST Insertion Kit	7
M001MS6K1.....Insertion Kits - 6 F MST Insertion Kit	7
M001PRTA66A0.....Implantable Chest Ports with PASV Valve Technology - Single Lumen	2
M001PRTA66P0.....Implantable Chest Ports with PASV Valve Technology - Single Lumen	2
M001PRTA96A0.....Implantable Chest Ports with PASV Valve Technology - Single Lumen	2
M001PRTA96P0.....Implantable Chest Ports with PASV Valve Technology - Single Lumen	2
M001PRTB10A0.....Implantable Chest Ports with PASV Valve Technology - Dual Lumen	2
M001PRTB10P0.....Implantable Chest Ports with PASV Valve Technology - Dual Lumen	2

Not all products are available in all countries. Please contact your local representative for product availability in your area.



Navilyst Medical, Inc.
26 Forest Street
Marlborough, MA 01752
www.navilystmedical.com

*For more information, call
518.792.4112*

© 2011 Navilyst Medical, Inc., or its affiliates.
All rights reserved.

Compensator, Essentials, Mini-Stick, NAMIC, PASV, Perceptor, Vaxcel are trademarks of Navilyst Medical, Inc. All other product names, brand names and trademarks are trademarks or registered trademarks of their respective owners.

NAV120 / 03/11